

DOMESTIC WATER WELL INVENTORY/SAMPLE FORM

WELL ID ~~28.190655~~ DW-1 TRIAD REP(S) BAF/T

COORDINATES: N ~~38.190655~~ 05:350 38.089166 W 81 ~~81.786388~~ 38.551 81.642516 ELEV.

PHYSICAL STREET ADDRESS OR DISTANCE/DIRECTION TO NEAREST INTERSECTION

NEAREST SW STREAM Sandlick Ck

NAME

MAILING ADDRESS 871 Sandlick

PHONE(S)

WATER USES: Drinking \_\_\_ Cooking \_\_\_ Laundry \_\_\_ Outdoor X None \_\_\_

USER COMMENTS (Taste/Odor/Color/Clarity) Really Bad sulfur smell, orange color with black particles

DOES WELL GO DRY(y/n) N BEEN SAMPLED BEFORE(y/n) Y DATE N/A

BY WHOM Several samples /lawyer DATA AVAILABLE(y/n)

WELL DEPTH 80 ft. ELEVATION Top of Casing DEPTH TO PUMP N/A ft. DEPTH TO WATER N/A ft.

CASING: Steel X PVC \_\_\_ DIAM. 6 in. PUMP: Submersible X Jet \_\_\_ None \_\_\_

DRILLER N/A INST. YEAR N/A LOG(y/n) N

WELL COMPLETION: Pitless Adapter \_\_\_ Well Seal X Well House X Basement \_\_\_

WELL MAINTENANCE: Disinfection? N Type? NU Surging? N Redevelopment? N

DISTANCE TO HOME 30 ft. DIST. TO SEPTIC TANK 70 ft. GRADE Dn

Buried Well Seal? N Can well be examined easily? Y

OTHER POTENTIAL IMPACTS? NONE

SAMPLE LOCATION: Hose Bib \_\_\_ Indoor Faucet \_\_\_ Well/Pump Faucet X

WATER TREATMENT SYSTEM(y/n) X PRE-TREATMENT SAMPLE(y/n) Y

SYSTEM PURGED(y/n) Y AMOUNT PURGED 5 gal

SAMPLER COMMENTS: Color Lt. Orange Clarity Clear Odor Lt. Sulfur

FIELD MEASUREMENTS: Temp 15.4 °F Cond 262 umho/cm pH 7.15

SAMPLE SPLIT(y/n) N WITH WHOM N/A

DOMESTIC WATER WELL INVENTORY/SAMPLE FORM

WELL ID DW-2 TRIAD REP(S) MW. R.A.  
COORDINATES: N 38° 05' 16.5" W 81° 38' 32.9" ELEV. 81.6424722

PHYSICAL STREET ADDRESS OR DISTANCE/DIRECTION TO NEAREST INTERSECTION \_\_\_\_\_

NEAREST SW STREAM \_\_\_\_\_

NAME \_\_\_\_\_

MAILING ADDRESS 1331 SANDLICK RD. SETH 2581

PHONE(S) \_\_\_\_\_

WATER USES: Drinking \_\_\_ Cooking \_\_\_ Laundry \_\_\_ Outdoor X None \_\_\_

USER COMMENTS (Taste/Odor/Color/Clarity) \_\_\_\_\_

MILKY COLOR

DOES WELL GO DRY (y/n) BEEN SAMPLED BEFORE (y/n) DATE \_\_\_\_\_

BY WHOM \_\_\_\_\_ DATA AVAILABLE(y/n) \_\_\_\_\_

WELL DEPTH 97' ft. ELEVATION Top of Casing \_\_\_\_\_ DEPTH TO PUMP 290 ft. DEPTH TO WATER \_\_\_\_\_ ft.

CASING: Steel X PVC \_\_\_ DIAM. \_\_\_\_\_ in. PUMP: Submersible \_\_\_ Jet \_\_\_ None \_\_\_

DRILLER \_\_\_\_\_ INST. YEAR \_\_\_\_\_ LOG(y/n) \_\_\_\_\_

WELL COMPLETION: Pitless Adapter \_\_\_ Well Seal \_\_\_ Well House \_\_\_ Basement X

WELL MAINTENANCE: Disinfection? \_\_\_ Type? \_\_\_\_\_ Surging? \_\_\_ Redevelopment? \_\_\_

DISTANCE TO HOME \_\_\_\_\_ ft. DIST. TO SEPTIC TANK \_\_\_\_\_ ft. GRADE \_\_\_\_\_

Buried Well Seal? \_\_\_\_\_ Can well be examined easily? \_\_\_\_\_

OTHER POTENTIAL IMPACTS? \_\_\_\_\_

SAMPLE LOCATION: Hose Bib \_\_\_ Indoor Faucet \_\_\_ Well/Pump Faucet X

WATER TREATMENT SYSTEM(y/n) (y/n) PRE-TREATMENT SAMPLE(y/n) (y/n)

SYSTEM PURGED (y/n) AMOUNT PURGED 5 gal

SAMPLER COMMENTS: Color \_\_\_\_\_ Clarity \_\_\_\_\_ Odor \_\_\_\_\_

FIELD MEASUREMENTS: Temp 18.5 °F Cond 223 µmho/cm pH 8.5

SAMPLE SPLIT(y/n) \_\_\_\_\_ WITH WHOM \_\_\_\_\_

DOMESTIC WATER WELL INVENTORY/SAMPLE FORM

WELL ID DW-3 TRIAD REP(S) \_\_\_\_\_  
38.086527  
COORDINATES: N 38° 05' 11.5 W 81° 38' 41.0 " ELEV. 81.644722

PHYSICAL STREET ADDRESS OR DISTANCE/DIRECTION TO NEAREST INTERSECTION \_\_\_\_\_

NEAREST SW STREAM \_\_\_\_\_

NAME \_\_\_\_\_

MAILING ADDRESS 32 LOW BRIDGE LANE ZENITH

PHONE(S) \_\_\_\_\_

WATER USES: Drinking \_\_\_ Cooking \_\_\_ Laundry \_\_\_ Outdoor \_\_\_ None

USER COMMENTS (Taste/Odor/Color/Clarity) \_\_\_\_\_

CHANGES FILTER TO BLACK, OILY, SULFUR SMELL  
SOMETIMES SEPTIC SMELL

DOES WELL GO DRY  (y/n) \_\_\_ BEEN SAMPLED BEFORE (y/n) \_\_\_ DATE \_\_\_\_\_

BY WHOM \_\_\_\_\_ DATA AVAILABLE (y/n) \_\_\_\_\_

WELL DEPTH 100 ft. ELEVATION Top of Casing \_\_\_\_\_ DEPTH TO PUMP 70' ft. DEPTH TO WATER \_\_\_\_\_ ft.

CASING: Steel  PVC \_\_\_ DIAM. \_\_\_\_\_ in. PUMP: Submersible \_\_\_ Jet \_\_\_ None \_\_\_

DRILLER \_\_\_\_\_ INST. YEAR 1950 LOG (y/n) \_\_\_\_\_

WELL COMPLETION: Pitless Adapter \_\_\_ Well Seal \_\_\_ Well House  Basement \_\_\_

WELL MAINTENANCE: Disinfection? \_\_\_ Type? \_\_\_\_\_ Surging? \_\_\_ Redevelopment? \_\_\_

DISTANCE TO HOME 30 ft. DIST. TO SEPTIC TANK 150' ft. GRADE DOWN

Buried Well Seal? \_\_\_\_\_ Can well be examined easily?

OTHER POTENTIAL IMPACTS? \_\_\_\_\_

SAMPLE LOCATION: Hose Bib \_\_\_ Indoor Faucet \_\_\_ Well/Pump Faucet \_\_\_

WATER TREATMENT SYSTEM (y/n) \_\_\_\_\_ PRE-TREATMENT SAMPLE (y/n) \_\_\_\_\_

SYSTEM PURGED (y/n) \_\_\_\_\_ AMOUNT PURGED \_\_\_\_\_ gal

SAMPLER COMMENTS: Color \_\_\_\_\_ Clarity \_\_\_\_\_ Odor \_\_\_\_\_

FIELD MEASUREMENTS: Temp 17.8 °F Cond 261 µmho/cm pH 8.21

SAMPLE SPLIT (y/n) \_\_\_\_\_ WITH WHOM \_\_\_\_\_

DOMESTIC WATER WELL INVENTORY/SAMPLE FORM

WELL ID DW-4 TRIAD REP(S) \_\_\_\_\_

COORDINATES: N 38 \_\_\_\_\_ W 81 \_\_\_\_\_ ELEV. \_\_\_\_\_

PHYSICAL STREET ADDRESS OR DISTANCE/DIRECTION TO NEAREST INTERSECTION \_\_\_\_\_

NEAREST SW STREAM \_\_\_\_\_

NAME \_\_\_\_\_

MAILING ADDRESS P.O. 272 SETH, WV 25181

PHONE(S) \_\_\_\_\_

WATER USES: Drinking \_\_\_ Cooking \_\_\_ Laundry \_\_\_ Outdoor X None \_\_\_

USER COMMENTS (Taste/Odor/Color/Clarity) \_\_\_\_\_

DOES WELL GO DRY(y/n) \_\_\_ BEEN SAMPLED BEFORE (y) DATE \_\_\_\_\_

BY WHOM COAL Co. LAWYERS DATA AVAILABLE(y/n) \_\_\_\_\_

WELL DEPTH 90' ft. ELEVATION Top of Casing \_\_\_\_\_ DEPTH TO PUMP \_\_\_\_\_ ft. DEPTH TO WATER \_\_\_\_\_ ft.

CASING: Steel X PVC \_\_\_ DIAM. \_\_\_\_\_ in. PUMP: Submersible \_\_\_ Jet \_\_\_ None \_\_\_

DRILLER \_\_\_\_\_ INST. YEAR 1971 LOG(y/n) \_\_\_\_\_

WELL COMPLETION: Pitless Adapter \_\_\_ Well Seal \_\_\_ Well House \_\_\_ Basement \_\_\_

WELL MAINTENANCE: Disinfection? N Type? \_\_\_\_\_ Surging? \_\_\_ Redevelopment? \_\_\_

DISTANCE TO HOME 240' ft. DIST. TO SEPTIC TANK 70' ft. GRADE \_\_\_\_\_

Buried Well Seal? \_\_\_\_\_ Can well be examined easily? y

OTHER POTENTIAL IMPACTS? \_\_\_\_\_

SAMPLE LOCATION: Hose Bib \_\_\_ Indoor Faucet \_\_\_ Well/Pump Faucet X

WATER TREATMENT SYSTEM(y/n) (y) PRE-TREATMENT SAMPLE(y/n) \_\_\_\_\_

SYSTEM PURGED (y) AMOUNT PURGED 10 gal

SAMPLER COMMENTS: Color grey Clarity \_\_\_\_\_ Odor SULFUR

FIELD MEASUREMENTS: Temp 18.5 °F Cond 210 umho/cm pH 7.6

SAMPLE SPLIT(y/n) \_\_\_ WITH WHOM \_\_\_\_\_

DOMESTIC WATER WELL INVENTORY/SAMPLE FORM

WELL ID DW-5 TRIAD REP(S) \_\_\_\_\_

COORDINATES: N 38 09278 W 81 64800 ELEV. 802

PHYSICAL STREET ADDRESS OR DISTANCE/DIRECTION TO NEAREST INTERSECTION \_\_\_\_\_

NEAREST SW STREAM \_\_\_\_\_

NAME \_\_\_\_\_ \* wants Results

MAILING ADDRESS POB 235 selt 738 3 Forks Rd

PHONE(S) 304-887-3927

WATER USES: Drinking \_\_\_ Cooking \_\_\_ Laundry \_\_\_ Outdoor X None \_\_\_

USER COMMENTS (Taste/Odor/Color/Clarity) swimming pool

DOES WELL GO DRY(y/n) N BEEN SAMPLED BEFORE(y/n) Y DATE \_\_\_\_\_

BY WHOM Health Dept, Coal Cos. DATA AVAILABLE(y/n) \_\_\_\_\_

WELL DEPTH 36 ft. ELEVATION Top of Casing \_\_\_\_\_ DEPTH TO PUMP \_\_\_\_\_ ft. DEPTH TO WATER \_\_\_\_\_ ft.

CASING: Steel \_\_\_ PVC \_\_\_ DIAM. \_\_\_\_\_ in. PUMP: Submersible \_\_\_ Jet \_\_\_ None \_\_\_

DRILLER Jones (deceased) INST. YEAR 1978 LOG(y/n) \_\_\_\_\_

WELL COMPLETION: Pitless Adapter \_\_\_ Well Seal \_\_\_ Well House \_\_\_ Basement \_\_\_

WELL MAINTENANCE: Disinfection? \_\_\_ Type? \_\_\_\_\_ Surging? \_\_\_ Redevelopment? \_\_\_

DISTANCE TO HOME \_\_\_\_\_ ft. DIST. TO SEPTIC TANK \_\_\_\_\_ ft. GRADE \_\_\_\_\_

Buried Well Seal? \_\_\_\_\_ Can well be examined easily? \_\_\_\_\_

OTHER POTENTIAL IMPACTS? \_\_\_\_\_

SAMPLE LOCATION: Hose Bib \_\_\_ Indoor Faucet \_\_\_ Well/Pump Faucet ✓

WATER TREATMENT SYSTEM(y/n) N PRE-TREATMENT SAMPLE(y/n) N

SYSTEM PURGED(y/n) \_\_\_\_\_ AMOUNT PURGED \_\_\_\_\_ gal

SAMPLER COMMENTS: Color Orange Clarity slight Odor \_\_\_\_\_

FIELD MEASUREMENTS: Temp 19.1 °F Cond 81 umho/cm pH 6.75

SAMPLE SPLIT(y/n) \_\_\_\_\_ WITH WHOM \_\_\_\_\_

DOMESTIC WATER WELL INVENTORY/SAMPLE FORM

WELL ID DW-6 TRIAD REP(S) \_\_\_\_\_

COORDINATES: N 38 09225 W 81 64962 ELEV. 975'

PHYSICAL STREET ADDRESS OR DISTANCE/DIRECTION TO NEAREST INTERSECTION \_\_\_\_\_

NEAREST SW STREAM \_\_\_\_\_

NAME \_\_\_\_\_

MAILING ADDRESS 89 1/2 3 Forks Rd Seth

PHONE(S) 304-837 3871

WATER USES: Drinking \_\_\_ Cooking \_\_\_ Laundry \_\_\_ Outdoor  None \_\_\_

USER COMMENTS (Taste/Odor/Color/Clarity) City Water

DOES WELL GO DRY(y/n) N BEEN SAMPLED BEFORE(y/n) Y DATE 1/11

BY WHOM Lawyers both sides DATA AVAILABLE(y/n) \_\_\_\_\_

WELL DEPTH 90 ft. ELEVATION Top of Casing \_\_\_\_\_ DEPTH TO PUMP \_\_\_\_\_ ft. DEPTH TO WATER \_\_\_\_\_ ft.

CASING: Steel \_\_\_ PVC \_\_\_ DIAM. \_\_\_\_\_ in. PUMP: Submersible \_\_\_ Jet \_\_\_ None \_\_\_

DRILLER Darrell Ross INST. YEAR 70-80s LOG(y/n) \_\_\_\_\_

WELL COMPLETION: Pitless Adapter \_\_\_ Well Seal \_\_\_ Well House \_\_\_ Basement \_\_\_

WELL MAINTENANCE: Disinfection? \_\_\_ Type? \_\_\_\_\_ Surging? \_\_\_ Redevelopment? \_\_\_

DISTANCE TO HOME \_\_\_\_\_ ft. DIST. TO SEPTIC TANK 25' ft. GRADE Down

Buried Well Seal? \_\_\_\_\_ Can well be examined easily? \_\_\_\_\_

OTHER POTENTIAL IMPACTS? \_\_\_\_\_

SAMPLE LOCATION: Hose Bib  Indoor Faucet \_\_\_\_\_ Well/Pump Faucet

WATER TREATMENT SYSTEM(y/n) N PRE-TREATMENT SAMPLE(y/n) N

SYSTEM PURGED(y/n) \_\_\_\_\_ AMOUNT PURGED \_\_\_\_\_ gal

SAMPLER COMMENTS: Color \_\_\_\_\_ Clarity \_\_\_\_\_ Odor \_\_\_\_\_

FIELD MEASUREMENTS: Temp 17.5 °F Cond 173 umho/cm pH 7.47

SAMPLE SPLIT(y/n) \_\_\_\_\_ WITH WHOM \_\_\_\_\_

DOMESTIC WATER WELL INVENTORY/SAMPLE FORM

WELL ID DW-7 TRIAD REP(S) M. WRIGHT, RICK ATENCED

COORDINATES: N 38.08392 W 81.64156 ELEV. 704

PHYSICAL STREET ADDRESS OR DISTANCE/DIRECTION TO NEAREST INTERSECTION  
4503 PRENTER RD.

NEAREST SW STREAM \_\_\_\_\_

NAME \_\_\_\_\_

MAILING ADDRESS \_\_\_\_\_

PHONE(S) \_\_\_\_\_

WATER USES: Drinking \_\_\_ Cooking \_\_\_ Laundry \_\_\_ Outdoor  None \_\_\_

USER COMMENTS (Taste/Odor/Color/Clarity) \_\_\_\_\_

REDDISH COLOR

SLIGHT GASOLINE ODOR

DOES WELL GO DRY(y/n) N BEEN SAMPLED BEFORE(y/n) N DATE \_\_\_\_\_

BY WHOM \_\_\_\_\_ DATA AVAILABLE(y/n) \_\_\_\_\_

WELL DEPTH 70' ft. ELEVATION Top of Casing \_\_\_\_\_ DEPTH TO PUMP \_\_\_\_\_ ft. DEPTH TO WATER \_\_\_\_\_ ft.

CASING: Steel  PVC \_\_\_ DIAM. \_\_\_\_\_ in. PUMP: Submersible \_\_\_ Jet \_\_\_ None \_\_\_

DRILLER \_\_\_\_\_ INST. YEAR \_\_\_\_\_ LOG(y/n) \_\_\_\_\_

WELL COMPLETION: Pitless Adapter \_\_\_ Well Seal \_\_\_ Well House \_\_\_ Basement \_\_\_

WELL MAINTENANCE: Disinfection? No Type? \_\_\_\_\_ Surging? \_\_\_ Redevelopment? \_\_\_

DISTANCE TO HOME 50' ft. DIST. TO SEPTIC TANK \_\_\_\_\_ ft. GRADE \_\_\_\_\_

Buried Well Seal? \_\_\_\_\_ Can well be examined easily? \_\_\_\_\_

OTHER POTENTIAL IMPACTS? \_\_\_\_\_

SAMPLE LOCATION: Hose Bib \_\_\_ Indoor Faucet \_\_\_ Well/Pump Faucet  IN GARAGE

WATER TREATMENT SYSTEM(y/n) \_\_\_\_\_ PRE-TREATMENT SAMPLE(y/n) \_\_\_\_\_

SYSTEM PURGED() 3m. AMOUNT PURGED \_\_\_\_\_ gal

SAMPLER COMMENTS: Color CLEAR Clarity \_\_\_\_\_ Odor GASOLINE SLIGHT

FIELD MEASUREMENTS: Temp 20.4 °C Cond 378 µmho/cm pH 6.73

SAMPLE SPLIT(y/n) \_\_\_\_\_ WITH WHOM \_\_\_\_\_

DOMESTIC WATER WELL INVENTORY/SAMPLE FORM

WELL ID DW-8 TRIAD REP(S) \_\_\_\_\_

COORDINATES: N 38.08320 W 81.64165 ELEV. 735

PHYSICAL STREET ADDRESS OR DISTANCE/DIRECTION TO NEAREST INTERSECTION \_\_\_\_\_

NEAREST SW STREAM \_\_\_\_\_

NAME \_\_\_\_\_

MAILING ADDRESS 4668 PEACOCK RD. SEVI

PHONE(S) \_\_\_\_\_

WATER USES: Drinking \_\_\_ Cooking \_\_\_ Laundry \_\_\_ Outdoor \_\_\_ None NOT USED

USER COMMENTS (Taste/Odor/Color/Clarity) \_\_\_\_\_

CREAMY FEEL, SULFUR SMELL

DOES WELL GO DRY(y/n) \_\_\_ BEEN SAMPLED BEFORE(y/n) \_\_\_ DATE \_\_\_\_\_

BY WHOM \_\_\_\_\_ DATA AVAILABLE(y/n) \_\_\_\_\_

WELL DEPTH 80' ft. ELEVATION Top of Casing \_\_\_\_\_ DEPTH TO PUMP \_\_\_\_\_ ft. DEPTH TO WATER \_\_\_\_\_ ft.

CASING: Steel \_\_\_ PVC \_\_\_ DIAM. \_\_\_\_\_ in. PUMP: Submersible \_\_\_ Jet \_\_\_ None \_\_\_

DRILLER \_\_\_\_\_ INST. YEAR 1980 LOG(y/n) \_\_\_\_\_

WELL COMPLETION: Pitless Adapter \_\_\_ Well Seal \_\_\_ Well House \_\_\_ Basement \_\_\_

WELL MAINTENANCE: Disinfection? \_\_\_ Type? \_\_\_\_\_ Surging? \_\_\_ Redevelopment? \_\_\_

DISTANCE TO HOME \_\_\_\_\_ ft. DIST. TO SEPTIC TANK \_\_\_\_\_ ft. GRADE \_\_\_\_\_

Buried Well Seal? \_\_\_\_\_ Can well be examined easily? \_\_\_\_\_

OTHER POTENTIAL IMPACTS? \_\_\_\_\_

SAMPLE LOCATION: Hose Bib X Indoor Faucet \_\_\_\_\_ Well/Pump Faucet \_\_\_\_\_

WATER TREATMENT SYSTEM(y/n) (n) PRE-TREATMENT SAMPLE(y/n) (n)

SYSTEM PURGED(y/n) 3' AMOUNT PURGED 2 gal

SAMPLER COMMENTS: Color None Clarity \_\_\_\_\_ Odor \_\_\_\_\_

FIELD MEASUREMENTS: Temp 19.7 °C Cond 367 µmho/cm pH 7.08

SAMPLE SPLIT(y/n) \_\_\_\_\_ WITH WHOM \_\_\_\_\_

DOMESTIC WATER WELL INVENTORY/SAMPLE FORM

WELL ID DW-9 TRIAD REP(S) \_\_\_\_\_

COORDINATES: N 38 .08447 W 81 .64256 ELEV. 922' - 986'

PHYSICAL STREET ADDRESS OR DISTANCE/DIRECTION TO NEAREST INTERSECTION

Sherry Hensley, 4400 Prenter Rd

NEAREST SW STREAM \_\_\_\_\_

NAME \_\_\_\_\_

MAILING ADDRESS \_\_\_\_\_

PHONE(S) 837-3311

WATER USES: Drinking \_\_\_ Cooking \_\_\_ Laundry  Outdoor  None \_\_\_

USER COMMENTS (Taste/Odor/Color/Clarity) Bottled for drinking/cooking

DOES WELL GO DRY(y/n)  BEEN SAMPLED BEFORE(y/n)  DATE \_\_\_\_\_

BY WHOM \_\_\_\_\_ DATA AVAILABLE(y/n) \_\_\_\_\_

WELL DEPTH \_\_\_\_\_ ft. ELEVATION Top of Casing \_\_\_\_\_ DEPTH TO PUMP \_\_\_\_\_ ft. DEPTH TO WATER \_\_\_\_\_ ft.

CASING: Steel \_\_\_ PVC \_\_\_ DIAM. \_\_\_\_\_ in. PUMP: Submersible \_\_\_ Jet \_\_\_ None \_\_\_

DRILLER \_\_\_\_\_ INST. YEAR ~20 LOG(y/n) \_\_\_\_\_

WELL COMPLETION: Pitless Adapter \_\_\_ Well Seal \_\_\_ Well House \_\_\_ Basement \_\_\_

WELL MAINTENANCE: Disinfection? \_\_\_ Type? \_\_\_\_\_ Surging? \_\_\_ Redevelopment? \_\_\_

DISTANCE TO HOME \_\_\_\_\_ ft. DIST. TO SEPTIC TANK \_\_\_\_\_ ft. GRADE \_\_\_\_\_

Buried Well Seal? \_\_\_\_\_ Can well be examined easily?  Softner + Tablets

OTHER POTENTIAL IMPACTS? \_\_\_\_\_

SAMPLE LOCATION: Hose Bib  Indoor Faucet \_\_\_\_\_ Well/Pump Faucet \_\_\_\_\_

WATER TREATMENT SYSTEM(y/n)  PRE-TREATMENT SAMPLE(y/n)

SYSTEM PURGED(y/n) \_\_\_\_\_ AMOUNT PURGED \_\_\_\_\_ gal

SAMPLER COMMENTS: Color \_\_\_\_\_ Clarity \_\_\_\_\_ Odor \_\_\_\_\_

FIELD MEASUREMENTS: Temp 19.0 °F Cond 347 umho/cm pH 7.91

SAMPLE SPLIT(y/n) \_\_\_\_\_ WITH WHOM \_\_\_\_\_

DOMESTIC WATER WELL INVENTORY/SAMPLE FORM

WELL ID DW-10 TRIAD REP(S) BAF

COORDINATES: N 38 04.123 W 81 38.728 ELEV. N/A

PHYSICAL STREET ADDRESS OR DISTANCE/DIRECTION TO NEAREST INTERSECTION

NEAREST SW STREAM Laurel creek

NAME \_\_\_\_\_

MAILING ADDRESS 1289 Coal Fork <sup>(RD)</sup> Laurel Creek P.O. Box 233 Seth 25181

PHONE(S) (304) 837-3704

WATER USES: Drinking  Cooking  Laundry  Outdoor  None \_\_\_\_\_

USER COMMENTS (Taste/Odor/Color/Clarity) \_\_\_\_\_

Rotten egg - some!

DOES WELL GO DRY(y/n) N BEEN SAMPLED BEFORE(y/n) N DATE \_\_\_\_\_

BY WHOM Lawyer office DATA AVAILABLE(y/n) N

WELL DEPTH N/A ft. ELEVATION Top of Casing N/A DEPTH TO PUMP N/A ft. DEPTH TO WATER N/A ft.

CASING: Steel \_\_\_\_\_ PVC \_\_\_\_\_ DIAM. \_\_\_\_\_ in. PUMP: Submersible \_\_\_\_\_ Jet \_\_\_\_\_ None \_\_\_\_\_ Buried

DRILLER N/A INST. YEAR \_\_\_\_\_ LOG(y/n) \_\_\_\_\_

WELL COMPLETION: Pitless Adapter \_\_\_\_\_ Well Seal \_\_\_\_\_ Well House \_\_\_\_\_ Basement \_\_\_\_\_

WELL MAINTENANCE: Disinfection? \_\_\_\_\_ Type? \_\_\_\_\_ Surging? \_\_\_\_\_ Redevelopment? \_\_\_\_\_

DISTANCE TO HOME \_\_\_\_\_ ft. DIST. TO SEPTIC TANK \_\_\_\_\_ ft. GRADE \_\_\_\_\_

Buried Well Seal? \_\_\_\_\_ Can well be examined easily? \_\_\_\_\_

OTHER POTENTIAL IMPACTS? \_\_\_\_\_

SAMPLE LOCATION: Hose Bib \_\_\_\_\_ Indoor Faucet \_\_\_\_\_ Well/Pump Faucet \_\_\_\_\_

WATER TREATMENT SYSTEM(y/n) N PRE-TREATMENT SAMPLE(y/n) \_\_\_\_\_

SYSTEM PURGED(y/n) Y AMOUNT PURGED 5 gal

SAMPLER COMMENTS: Color \_\_\_\_\_ Clarity \_\_\_\_\_ Odor \_\_\_\_\_

FIELD MEASUREMENTS: Temp 18.7 °F Cond 380 µmho/cm pH 8.08

SAMPLE SPLIT(y/n) \_\_\_\_\_ WITH WHOM \_\_\_\_\_

DOMESTIC WATER WELL INVENTORY/SAMPLE FORM

WELL ID DW-11 TRIAD REP(S) \_\_\_\_\_

COORDINATES: N <sup>38.069722</sup> 38° 4' 11" W 81° <sup>81.643055</sup> 38' 35" ELEV. \_\_\_\_\_

PHYSICAL STREET ADDRESS OR DISTANCE/DIRECTION TO NEAREST INTERSECTION \_\_\_\_\_

NEAREST SW STREAM \_\_\_\_\_

NAME \_\_\_\_\_

MAILING ADDRESS P.O. BOX 302 SETH

PHONE(S) \_\_\_\_\_

WATER USES: Drinking \_\_\_\_\_ Cooking \_\_\_\_\_ Laundry \_\_\_\_\_ Outdoor  None

USER COMMENTS (Taste/Odor/Color/Clarity) \_\_\_\_\_

DOES WELL GO DRY(y/n) \_\_\_\_\_ BEEN SAMPLED BEFORE(y/n) \_\_\_\_\_ DATE \_\_\_\_\_

BY WHOM \_\_\_\_\_ DATA AVAILABLE(y/n) \_\_\_\_\_

WELL DEPTH 100' ft. ELEVATION Top of Casing \_\_\_\_\_ DEPTH TO PUMP \_\_\_\_\_ ft. DEPTH TO WATER \_\_\_\_\_ ft.

CASING: Steel  PVC \_\_\_\_\_ DIAM. \_\_\_\_\_ in. PUMP: Submersible \_\_\_\_\_ Jet \_\_\_\_\_ None \_\_\_\_\_

DRILLER \_\_\_\_\_ INST. YEAR \_\_\_\_\_ LOG(y/n) \_\_\_\_\_

WELL COMPLETION: Pitless Adapter \_\_\_\_\_ Well Seal \_\_\_\_\_ Well House \_\_\_\_\_ Basement \_\_\_\_\_

WELL MAINTENANCE: Disinfection? \_\_\_\_\_ Type? \_\_\_\_\_ Surging? \_\_\_\_\_ Redevelopment? \_\_\_\_\_

DISTANCE TO HOME \_\_\_\_\_ ft. DIST. TO SEPTIC TANK \_\_\_\_\_ ft. GRADE \_\_\_\_\_

Buried Well Seal? \_\_\_\_\_ Can well be examined easily? \_\_\_\_\_

OTHER POTENTIAL IMPACTS? \_\_\_\_\_

SAMPLE LOCATION: Hose Bib  Indoor Faucet \_\_\_\_\_ Well/Pump Faucet \_\_\_\_\_

WATER TREATMENT SYSTEM(y/n)  PRE-TREATMENT SAMPLE(y/n) \_\_\_\_\_

SYSTEM PURGED  AMOUNT PURGED 5 gal

SAMPLER COMMENTS: Color 1 Clarity CLEAR Odor SLIGHT SULFU

FIELD MEASUREMENTS: Temp 18.4 °F Cond 724 µmho/cm pH 8.2

SAMPLE SPLIT(y/n)  WITH WHOM \_\_\_\_\_

DOMESTIC WATER WELL INVENTORY/SAMPLE FORM

WELL ID DW 12 TRIAD REP(S) \_\_\_\_\_

COORDINATES: N 38.06768 W 81.64394 ELEV. 820

PHYSICAL STREET ADDRESS OR DISTANCE/DIRECTION TO NEAREST INTERSECTION \_\_\_\_\_

NEAREST SW STREAM Hurricane Branch

NAME \_\_\_\_\_

MAILING ADDRESS 247 Hurricane Branch

PHONE(S) 3 832 4341

WATER USES: Drinking \_\_\_ Cooking \_\_\_ Laundry \_\_\_ Outdoor \_\_\_ None \_\_\_

USER COMMENTS (Taste/Odor/Color/Clarity) \_\_\_\_\_

DOES WELL GO DRY(y/n) N BEEN SAMPLED BEFORE(y/n) \_\_\_\_\_ DATE 12/09

BY WHOM COAL COS DATA AVAILABLE(y/n) \_\_\_\_\_

WELL DEPTH 58' ft. ELEVATION Top of Casing \_\_\_\_\_ DEPTH TO PUMP \_\_\_\_\_ ft. DEPTH TO WATER \_\_\_\_\_ ft.

CASING: Steel \_\_\_ PVC \_\_\_ DIAM. \_\_\_\_\_ in. PUMP: Submersible \_\_\_ Jet \_\_\_ None \_\_\_

DRILLER \_\_\_\_\_ INST. YEAR \_\_\_\_\_ LOG(y/n) \_\_\_\_\_

WELL COMPLETION: Pitless Adapter \_\_\_ Well Seal \_\_\_ Well House \_\_\_ Basement \_\_\_

WELL MAINTENANCE: Disinfection? \_\_\_ Type? \_\_\_\_\_ Surging? \_\_\_ Redevelopment? \_\_\_

DISTANCE TO HOME \_\_\_\_\_ ft. DIST. TO SEPTIC TANK \_\_\_\_\_ ft. GRADE \_\_\_\_\_

Buried Well Seal? \_\_\_\_\_ Can well be examined easily? \_\_\_\_\_

OTHER POTENTIAL IMPACTS? \_\_\_\_\_

SAMPLE LOCATION: Hose Bib \_\_\_ Indoor Faucet \_\_\_ Well/Pump Faucet Bailer

WATER TREATMENT SYSTEM(y/n) N PRE-TREATMENT SAMPLE(y/n) N

SYSTEM PURGED(y/n) N AMOUNT PURGED \_\_\_\_\_ gal

SAMPLER COMMENTS: Color \_\_\_\_\_ Clarity \_\_\_\_\_ Odor \_\_\_\_\_

FIELD MEASUREMENTS: Temp 17.5 °F Cond 200 µmho/cm pH 8.43

SAMPLE SPLIT(y/n) \_\_\_ WITH WHOM \_\_\_\_\_

DOMESTIC WATER WELL INVENTORY/SAMPLE FORM

WELL ID DW 13 TRIAD REP(S) Matt Wright & Diana Starkweather  
38°05.258 81°38.420

COORDINATES: N 38°05'15.5 W 81°38'37.2 ELEV. \_\_\_\_\_

PHYSICAL STREET ADDRESS OR DISTANCE/DIRECTION TO NEAREST INTERSECTION \_\_\_\_\_

NEAREST SW STREAM Sand Lick Fork ~~80-100ft~~ 50-80ft

NAME \_\_\_\_\_

MAILING ADDRESS 1129 Sand Lick Road Seth, WV 25781

PHONE(S) 304-837-8579

WATER USES: Drinking \_\_\_ Cooking \_\_\_ Laundry \_\_\_ Outdoor  None \_\_\_

USER COMMENTS (Taste/Odor/Color/Clarity) wash exterior of house has  
used for everything until this past May 2011,  
when they switched to city water.

smells like sulfur, rust, black water

DOES WELL GO DRY(y/n)  BEEN SAMPLED BEFORE(y/n)  DATE \_\_\_\_\_

BY WHOM Adkins Hall Study DATA AVAILABLE(y/n) \_\_\_\_\_

WELL DEPTH 125 ft. ELEVATION Top of Casing \_\_\_\_\_ DEPTH TO PUMP 120 ft. DEPTH TO WATER \_\_\_\_\_ ft.

CASING: Steel \_\_\_ PVC  DIAM. 6 in. PUMP: Submersible  Jet \_\_\_ None \_\_\_

DRILLER Tulley (they think) INST. YEAR late 90's LOG(y/n) \_\_\_\_\_

WELL COMPLETION: Pitless Adapter \_\_\_ Well Seal \_\_\_ Well House  Basement \_\_\_

WELL MAINTENANCE: Disinfection? yes Type? HCl every 3 months Surging? \_\_\_ Redevelopment? \_\_\_

DISTANCE TO HOME 10 ft. DIST. TO SEPTIC TANK 125-150 ft. GRADE \_\_\_\_\_

Buried Well Seal? NA Can well be examined easily? yes

OTHER POTENTIAL IMPACTS? Garage next door

SAMPLE LOCATION: Hose Bib  Indoor Faucet \_\_\_\_\_ Well/Pump Faucet \_\_\_\_\_

WATER TREATMENT SYSTEM(y/n)  PRE-TREATMENT SAMPLE(y/n) \_\_\_\_\_

SYSTEM PURGED(y/n) \_\_\_\_\_ AMOUNT PURGED 15 gal

SAMPLER COMMENTS: Color no color Clarity clear Odor sulfur

FIELD MEASUREMENTS: Temp \_\_\_\_\_ °F Cond 0.21mS/cm pH 8.0

SAMPLE SPLIT(y/n)  WITH WHOM \_\_\_\_\_

DOMESTIC WATER WELL INVENTORY/SAMPLE FORM

WELL ID DW-14 TRIAD REP(S) BAF/RCA

COORDINATES: N 38 01.27.8 W 81 37 00.6 ELEV. 38.021398 81.616833

PHYSICAL STREET ADDRESS OR DISTANCE/DIRECTION TO NEAREST INTERSECTION 16651 Prenter RD

NEAREST SW STREAM 250

NAME

MAILING ADDRESS 16651 Prenter RD Po 331 Foster WV 25081

PHONE(S) (304) - NA at time 837 3148

WATER USES: Drinking X Cooking X Laundry Y Outdoor X None

USER COMMENTS (Taste/Odor/Color/Clarity) Clear, no odor, no taste

DOES WELL GO DRY(y/n) N BEEN SAMPLED BEFORE(y/n) N/A DATE BY WHOM N/A DATA AVAILABLE(y/n)

WELL DEPTH N/A ft. ELEVATION Top of Casing DEPTH TO PUMP ft. DEPTH TO WATER ft.

CASING: Steel X PVC DIAM. in. PUMP: Submersible X Jet None

DRILLER N/A INST. YEAR LOG(y/n)

WELL COMPLETION: Pitless Adapter Well Seal X Well House Basement

WELL MAINTENANCE: Disinfection? X Type? Filters Surging? Redevelopment?

DISTANCE TO HOME ft. DIST. TO SEPTIC TANK 25 ft. GRADE FIAS

Buried Well Seal? Can well be examined easily? Y

OTHER POTENTIAL IMPACTS?

SAMPLE LOCATION: Hose Bib Indoor Faucet X Well/Pump Faucet

WATER TREATMENT SYSTEM(y/n) PRE-TREATMENT SAMPLE(y/n)

SYSTEM PURGED(y/n) Y AMOUNT PURGED 5 gal

SAMPLER COMMENTS: Color Clarity Odor

FIELD MEASUREMENTS: Temp 17.2 F Cond 46.0 umho/cm pH 6.13

SAMPLE SPLIT(y/n) N WITH WHOM





DOMESTIC WATER WELL INVENTORY/SAMPLE FORM

WELL ID DW-107 TRIAD REP(S) \_\_\_\_\_

COORDINATES: N 38.05918 W 81.61388 ELEV. \_\_\_\_\_

PHYSICAL STREET ADDRESS OR DISTANCE/DIRECTION TO NEAREST INTERSECTION \_\_\_\_\_

NEAREST SW STREAM \_\_\_\_\_

NAME \_\_\_\_\_

MAILING ADDRESS 10652 Prenter Rd

PHONE(S) 304 837-3194

WATER USES: Drinking [checked] Cooking [checked] Laundry [checked] Outdoor [checked] None \_\_\_\_\_

USER COMMENTS (Taste/Odor/Color/Clarity) Clear (little iron)

DOES WELL GO DRY(y/n) [checked] BEEN SAMPLED BEFORE(y/n) [checked] DATE 6/10  
BY WHOM Eng firm DATA AVAILABLE(y/n) \_\_\_\_\_

WELL DEPTH 51 ft. ELEVATION Top of Casing \_\_\_\_\_ DEPTH TO PUMP \_\_\_\_\_ ft. DEPTH TO WATER \_\_\_\_\_ ft.

CASING: Steel \_\_\_\_\_ PVC [checked] DIAM. 6 in. PUMP: Submersible \_\_\_\_\_ Jet \_\_\_\_\_ None \_\_\_\_\_

DRILLER \_\_\_\_\_ INST. YEAR 1994 LOG(y/n) \_\_\_\_\_

WELL COMPLETION: Pitless Adapter \_\_\_\_\_ Well Seal \_\_\_\_\_ Well House \_\_\_\_\_ Basement \_\_\_\_\_

WELL MAINTENANCE: Disinfection? [checked] Type? \_\_\_\_\_ Surging? \_\_\_\_\_ Redevelopment? \_\_\_\_\_

DISTANCE TO HOME 85 ft. DIST. TO SEPTIC TANK 75 ft. GRADE \_\_\_\_\_

Buried Well Seal? \_\_\_\_\_ Can well be examined easily? \_\_\_\_\_

OTHER POTENTIAL IMPACTS? \_\_\_\_\_

SAMPLE LOCATION: Hose Bib \_\_\_\_\_ Indoor Faucet \_\_\_\_\_ Well/Pump Faucet \_\_\_\_\_

WATER TREATMENT SYSTEM(y/n) \_\_\_\_\_ PRE-TREATMENT SAMPLE(y/n) \_\_\_\_\_

SYSTEM PURGED(y/n) \_\_\_\_\_ AMOUNT PURGED \_\_\_\_\_ gal

SAMPLER COMMENTS: Color \_\_\_\_\_ Clarity \_\_\_\_\_ Odor \_\_\_\_\_

FIELD MEASUREMENTS: Temp 17.5 °F Cond 226 µmho/cm pH 8.1 7.34

SAMPLE SPLIT(y/n) \_\_\_\_\_ WITH WHOM 165.8

DOMESTIC WATER WELL INVENTORY/SAMPLE FORM

WELL ID WD-18 TRIAD REP(S) \_\_\_\_\_

COORDINATES: N 38 .04547 W 81 .61746 ELEV. 858

PHYSICAL STREET ADDRESS OR DISTANCE/DIRECTION TO NEAREST INTERSECTION \_\_\_\_\_

NEAREST SW STREAM APPX 100'

NAME \_\_\_\_\_

MAILING ADDRESS 13390<sup>th</sup> PRENTISS RD.

PHONE(S) \_\_\_\_\_

WATER USES: Drinking \_\_\_\_\_ Cooking \_\_\_\_\_ Laundry  Outdoor \_\_\_\_\_ None

USER COMMENTS (Taste/Odor/Color/Clarity) \_\_\_\_\_

ROTTEN EGG SMELL,

DOES WELL GO DRY(y/n)  BEEN SAMPLED BEFORE(y/n)  DATE \_\_\_\_\_

BY WHOM WHEELING JESUIT DATA AVAILABLE(y/n) \_\_\_\_\_

WELL DEPTH 65' ft. ELEVATION Top of Casing \_\_\_\_\_ DEPTH TO PUMP \_\_\_\_\_ ft. DEPTH TO WATER \_\_\_\_\_ ft.

CASING: Steel  PVC \_\_\_\_\_ DIAM. \_\_\_\_\_ in. PUMP: Submersible \_\_\_\_\_ Jet \_\_\_\_\_ None \_\_\_\_\_

DRILLER UNK INST. YEAR UNK LOG(y/n) \_\_\_\_\_

WELL COMPLETION: Pitless Adapter \_\_\_\_\_ Well Seal \_\_\_\_\_ Well House  Basement \_\_\_\_\_

WELL MAINTENANCE: Disinfection?  Type?  Surging?  Redevelopment?

DISTANCE TO HOME 40 ft. DIST. TO SEPTIC TANK \_\_\_\_\_ ft. GRADE \_\_\_\_\_

Buried Well Seal? \_\_\_\_\_ Can well be examined easily?

OTHER POTENTIAL IMPACTS? \_\_\_\_\_

SAMPLE LOCATION: Hose Bib \_\_\_\_\_ Indoor Faucet \_\_\_\_\_ Well/Pump Faucet

WATER TREATMENT SYSTEM(y/n)  PRE-TREATMENT SAMPLE(y/n)

SYSTEM PURGED(y/n)  3min AMOUNT PURGED 9 gal

SAMPLER COMMENTS: Color clear Clarity clear Odor SULFUR ODOR

FIELD MEASUREMENTS: Temp 19.1 °F Cond 369 µmho/cm pH 8.34

SAMPLE SPLIT(y/n) \_\_\_\_\_ WITH WHOM \_\_\_\_\_

DOMESTIC WATER WELL INVENTORY/SAMPLE FORM

WELL ID DW-19 TRIAD REP(S) BAF

COORDINATES: N 38 ~~38.17666~~ 38.0591 W 81 ~~81.828333~~ 81.6137 ELEV. N/A

PHYSICAL STREET ADDRESS OR DISTANCE/DIRECTION TO NEAREST INTERSECTION

NEAREST SW STREAM Hopkins Fork

NAME \_\_\_\_\_

MAILING ADDRESS 10700 Seth

PHONE(S) 837-7818

WATER USES: Drinking  Cooking  Laundry  Outdoor  None \_\_\_\_\_

USER COMMENTS (Taste/Odor/Color/Clarity) Turns things Red / Fg

DOES WELL GO DRY(y/n) N BEEN SAMPLED BEFORE(y/n)  DATE N/A ~ 10/03 Aug  
BY WHOM Coal Co. DATA AVAILABLE(y/n) N

WELL DEPTH ~38 ft. ELEVATION Top of Casing \_\_\_\_\_ DEPTH TO PUMP ~30 ft. DEPTH TO WATER \_\_\_\_\_ ft.

CASING: Steel  PVC \_\_\_\_\_ DIAM. \_\_\_\_\_ in. PUMP: Submersible  Jet \_\_\_\_\_ None \_\_\_\_\_

DRILLER N/A INST. YEAR N/A LOG(y/n) N

WELL COMPLETION: Pitless Adapter  Well Seal \_\_\_\_\_ Well House \_\_\_\_\_ Basement \_\_\_\_\_

WELL MAINTENANCE: Disinfection? N Type? \_\_\_\_\_ Surging? \_\_\_\_\_ Redevelopment? \_\_\_\_\_

DISTANCE TO HOME ~~5~~ 5 ft. DIST. TO SEPTIC TANK 45 ft. GRADE DN

Buried Well Seal? \_\_\_\_\_ Can well be examined easily? NO

OTHER POTENTIAL IMPACTS? N/A

SAMPLE LOCATION: Hose Bib \_\_\_\_\_ Indoor Faucet  Well/Pump Faucet \_\_\_\_\_

WATER TREATMENT SYSTEM(y/n) N PRE-TREATMENT SAMPLE(y/n) \_\_\_\_\_

SYSTEM PURGED(y/n)  AMOUNT PURGED 5 gal

SAMPLER COMMENTS: Color Clear Clarity - Odor NONE

FIELD MEASUREMENTS: Temp 18.4 °F Cond 374 µmho/cm pH 7.46

SAMPLE SPLIT(y/n) N WITH WHOM \_\_\_\_\_

DOMESTIC WATER WELL INVENTORY/SAMPLE FORM

WELL ID DW-20 TRIAD REP(S) RA, MW

38.0449722  
COORDINATES: N 38° 02' 41.9" W 81° 37' 03.7" ELEV. 81.6176944

PHYSICAL STREET ADDRESS OR DISTANCE/DIRECTION TO NEAREST INTERSECTION

NEAREST SW STREAM

NAME

MAILING ADDRESS 13460 PRENTER RD. SETH, WV 25181

PHONE(S)

WATER USES: Drinking \_\_\_ Cooking \_\_\_ Laundry X Outdoor \_\_\_ None \_\_\_

USER COMMENTS (Taste/Odor/Color/Clarity)

SULFUR SMELL, BLACK OUT OF FAUCIT AT TIMES

DOES WELL GO DRY(y/n) \_\_\_ BEEN SAMPLED BEFORE(y/n) \_\_\_ DATE \_\_\_

BY WHOM \_\_\_ DATA AVAILABLE(y/n) \_\_\_

WELL DEPTH 55' ft. ELEVATION Top of Casing \_\_\_ DEPTH TO PUMP \_\_\_ ft. DEPTH TO WATER \_\_\_ ft.

CASING: Steel X PVC \_\_\_ DIAM. \_\_\_ in. PUMP: Submersible \_\_\_ Jet \_\_\_ None \_\_\_

DRILLER \_\_\_ INST. YEAR 21975 LOG(y/n) \_\_\_

WELL COMPLETION: Pitless Adapter \_\_\_ Well Seal \_\_\_ Well House \_\_\_ Basement \_\_\_

WELL MAINTENANCE: Disinfection? no Type? \_\_\_ Surging? \_\_\_ Redevelopment? \_\_\_

DISTANCE TO HOME \_\_\_ ft. DIST. TO SEPTIC TANK 30' ft. GRADE \_\_\_

Buried Well Seal? \_\_\_ Can well be examined easily? YES

OTHER POTENTIAL IMPACTS? SEPTIC SYSTEM WITHIN 100'

SAMPLE LOCATION: Hose Bib on TRAILER Indoor Faucet \_\_\_ Well/Pump Faucet \_\_\_

WATER TREATMENT SYSTEM(y/n) \_\_\_ PRE-TREATMENT SAMPLE(y/n) \_\_\_

SYSTEM PURGED(y/n) \_\_\_ AMOUNT PURGED 5 gal

SAMPLER COMMENTS: Color \_\_\_ Clarity \_\_\_ Odor \_\_\_

FIELD MEASUREMENTS: Temp 18.4 °F Cond 298 µmho/cm pH 7.92

SAMPLE SPLIT(y/n) \_\_\_ WITH WHOM \_\_\_

DOMESTIC WATER WELL INVENTORY/SAMPLE FORM

WELL ID DW-21 TRIAD REP(S) BAF/RCA

*X data*

COORDINATES: N 38 38.011222 00.40.4 W 81 81.611333 36.40.8 ELEV. \_\_\_\_\_

PHYSICAL STREET ADDRESS OR DISTANCE/DIRECTION TO NEAREST INTERSECTION  
Same as mailing

NEAREST SW STREAM Hogan Fork

NAME \_\_\_\_\_

MAILING ADDRESS 1512 schoolhouse RD Prenter WV 25181

PHONE(S) 304

WATER USES: Drinking \_\_\_\_\_ Cooking \_\_\_\_\_ Laundry  Outdoor  None \_\_\_\_\_ *Bath, washing Dishes*

USER COMMENTS (Taste/Odor/Color/Clarity) Slimy, bad taste, brushes teeth bad taste, strong odor

DOES WELL GO DRY(y/n) Y <sup>last year</sup> BEEN SAMPLED BEFORE(y/n) Y DATE N/A

BY WHOM N/A DATA AVAILABLE(y/n) N

WELL DEPTH 150 ft. ELEVATION Top of Casing NA DEPTH TO PUMP 100 ft. DEPTH TO WATER 100 ft.

CASING: Steel \_\_\_\_\_ PVC  DIAM. 6" in. PUMP: Submersible  Jet \_\_\_\_\_ None \_\_\_\_\_

DRILLER N/A INST. YEAR \_\_\_\_\_ LOG(y/n) \_\_\_\_\_

WELL COMPLETION: Pitless Adapter \_\_\_\_\_ Well Seal  Well House \_\_\_\_\_ Basement \_\_\_\_\_

WELL MAINTENANCE: Disinfection? N Type? N Surging? N Redevelopment? N

DISTANCE TO HOME 575 ft. DIST. TO SEPTIC TANK 25 ft. GRADE \_\_\_\_\_

Buried Well Seal? \_\_\_\_\_ Can well be examined easily? \_\_\_\_\_

OTHER POTENTIAL IMPACTS? \_\_\_\_\_

SAMPLE LOCATION: Hose Bib \_\_\_\_\_ Indoor Faucet  Well/Pump Faucet \_\_\_\_\_

WATER TREATMENT SYSTEM(y/n) N PRE-TREATMENT SAMPLE(y/n) \_\_\_\_\_

SYSTEM PURGED(y/n) Y AMOUNT PURGED 5 gal

SAMPLER COMMENTS: Color ok Clarity ok Odor slight sulfur

FIELD MEASUREMENTS: Temp 17.2 °F Cond 174.5 umho/cm pH 8.09

SAMPLE SPLIT(y/n) N WITH WHOM N

DOMESTIC WATER WELL INVENTORY/SAMPLE FORM

WELL ID DW22 TRIAD REP(S) Matthew Wright & Diana Starbuck

COORDINATES: N 38 05' 44.7" W 81 37' 57.8" ELEV.

PHYSICAL STREET ADDRESS OR DISTANCE/DIRECTION TO NEAREST INTERSECTION

NEAREST SW STREAM Salt Lick Creek 80-100ft

NAME MAILING ADDRESS 130 Doddrell Lane Seth, WV 25181 PHONE(S) 304 837 7247

WATER USES: Drinking Cooking Laundry Outdoor X None

USER COMMENTS (Taste/Odor/Color/Clarity)

DOES WELL GO DRY(y/n) BEEN SAMPLED BEFORE(y/n) DATE BY WHOM DATA AVAILABLE(y/n)

WELL DEPTH TO WATER ft. ELEVATION Top of Casing DEPTH TO PUMP ft. DEPTH

CASING: Steel PVC DIAM. in. PUMP: Submersible Jet None DRILLER INST. YEAR LOG(y/n)

WELL COMPLETION: Pitless Adapter Well Seal Well House X Basement

WELL MAINTENANCE: Disinfection? Type? Surging? Redevelopment?

DISTANCE TO HOME 18 ft. DIST. TO SEPTIC TANK 100 ft. GRADE

Buried Well Seal? No Can well be examined easily? yes

OTHER POTENTIAL IMPACTS? NA

SAMPLE LOCATION: Hose Bib X Indoor Faucet Well/Pump Faucet

WATER TREATMENT SYSTEM(y/n) PRE-TREATMENT SAMPLE(y/n)

SYSTEM PURGED(y/n) V AMOUNT PURGED 15 gal

SAMPLER COMMENTS: Color None Clarity clear Odor slight sulfur

FIELD MEASUREMENTS: Temp °F Cond 0.108umS/cm pH 7.5

SAMPLE SPLIT(y/n) WITH WHOM

DOMESTIC WATER WELL INVENTORY/SAMPLE FORM

WELL ID DW 23 TRIAD REP(S) M. Wright TD Starkweather  
38°05' 879" 81°37' 892

COORDINATES: N 38°05' 52.7" W 81°37' 53.5" ELEV. \_\_\_\_\_

PHYSICAL STREET ADDRESS OR DISTANCE/DIRECTION TO NEAREST INTERSECTION

1709 Premier Rd Seth WV 25181

NEAREST SW STREAM \_\_\_\_\_

NAME \_\_\_\_\_

MAILING ADDRESS \_\_\_\_\_

PHONE(S) 304 837 7875

WATER USES: Drinking \_\_\_\_\_ Cooking \_\_\_\_\_ Laundry \_\_\_\_\_ Outdoor  None \_\_\_\_\_

USER COMMENTS (Taste/Odor/Color/Clarity) slight sulfur odor

DOES WELL GO DRY(y/n) \_\_\_\_\_ BEEN SAMPLED BEFORE(y/n) \_\_\_\_\_ DATE \_\_\_\_\_

BY WHOM \_\_\_\_\_ DATA AVAILABLE(y/n) \_\_\_\_\_

WELL DEPTH \_\_\_\_\_ ft. ELEVATION Top of Casing \_\_\_\_\_ DEPTH TO PUMP \_\_\_\_\_ ft. DEPTH TO WATER \_\_\_\_\_ ft.

CASING: Steel  PVC \_\_\_\_\_ DIAM. 6 in. PUMP: Submersible  Jet \_\_\_\_\_ None \_\_\_\_\_

DRILLER \_\_\_\_\_ INST. YEAR \_\_\_\_\_ LOG(y/n) \_\_\_\_\_

WELL COMPLETION: Pitless Adapter \_\_\_\_\_ Well Seal \_\_\_\_\_ Well House  Basement \_\_\_\_\_

WELL MAINTENANCE: Disinfection? \_\_\_\_\_ Type? \_\_\_\_\_ Surging? \_\_\_\_\_ Redevelopment? \_\_\_\_\_

DISTANCE TO HOME 50 ft. DIST. TO SEPTIC TANK \_\_\_\_\_ ft. GRADE \_\_\_\_\_

Buried Well Seal? No Can well be examined easily?

OTHER POTENTIAL IMPACTS? \_\_\_\_\_

SAMPLE LOCATION: Hose Bib \_\_\_\_\_ Indoor Faucet \_\_\_\_\_ Well/Pump Faucet

WATER TREATMENT SYSTEM(y/n) N PRE-TREATMENT SAMPLE(y/n) N

SYSTEM PURGED(y/n) Y AMOUNT PURGED 15 gal

SAMPLER COMMENTS: Color NONE Clarity clear Odor slight

FIELD MEASUREMENTS: Temp \_\_\_\_\_ °F Cond 0.22 umho/cm pH 7.70

SAMPLE SPLIT(y/n) WITH WHOM \_\_\_\_\_

DOMESTIC WATER WELL INVENTORY/SAMPLE FORM

WELL ID DW24 TRIAD REP(S) JMM/BAF

COORDINATES: N <sup>38.200277</sup> 2.601 W <sup>38.04335</sup> 81.645535 <sup>81.6184</sup> 37.104 ELEV. \_\_\_\_\_

PHYSICAL STREET ADDRESS OR DISTANCE/DIRECTION TO NEAREST INTERSECTION \_\_\_\_\_

NEAREST SW STREAM Lavinia FK

NAME \_\_\_\_\_

MAILING ADDRESS Gen. Delivery Seth

PHONE(S) \_\_\_\_\_

WATER USES: Drinking \_\_\_\_\_ Cooking \_\_\_\_\_ Laundry  Outdoor  None \_\_\_\_\_

USER COMMENTS (Taste/Odor/Color/Clarity) good water; egg smell

DOES WELL GO DRY(y/n) N BEEN SAMPLED BEFORE(y/n) N DATE \_\_\_\_\_  
BY WHOM \_\_\_\_\_ DATA AVAILABLE(y/n) \_\_\_\_\_

WELL DEPTH \_\_\_\_\_ ft. ELEVATION Top of Casing \_\_\_\_\_ DEPTH TO PUMP \_\_\_\_\_ ft. DEPTH TO WATER \_\_\_\_\_ ft. >25yrs. >57

CASING: Steel \_\_\_\_\_ PVC  DIAM. 6 in. PUMP: Submersible \_\_\_\_\_ Jet  None \_\_\_\_\_

DRILLER \_\_\_\_\_ INST. YEAR \_\_\_\_\_ LOG(y/n) N

WELL COMPLETION: Pitless Adapter \_\_\_\_\_ Well Seal  Well House  Basement \_\_\_\_\_

WELL MAINTENANCE: Disinfection? N Type? \_\_\_\_\_ Surging? \_\_\_\_\_ Redevelopment? \_\_\_\_\_

DISTANCE TO HOME 80 ft. DIST. TO SEPTIC TANK 148 ft. GRADE Dn

Buried Well Seal? N Can well be examined easily? Y

OTHER POTENTIAL IMPACTS? N

SAMPLE LOCATION: Hose Bib  Indoor Faucet \_\_\_\_\_ Well/Pump Faucet \_\_\_\_\_

WATER TREATMENT SYSTEM(y/n) N PRE-TREATMENT SAMPLE(y/n) Y

SYSTEM PURGED(y/n) Y AMOUNT PURGED 5 gal 5H

SAMPLER COMMENTS: Color OK Clarity OK Odor 1 Egg

FIELD MEASUREMENTS: Temp 19.8 °F Cond 336 µmho/cm pH 8.05

SAMPLE SPLIT(y/n) N WITH WHOM N/A

DOMESTIC WATER WELL INVENTORY/SAMPLE FORM

WELL ID DW 25 TRIAD REP(S) M. W. & D. S

COORDINATES: N 38° 03' 21.8" W 81° 36' 36.1" ELEV. \_\_\_\_\_

PHYSICAL STREET ADDRESS OR DISTANCE/DIRECTION TO NEAREST INTERSECTION \_\_\_\_\_

NEAREST SW STREAM Hopkins Fork 100ft

NAME \_\_\_\_\_

MAILING ADDRESS 11684 Prenter Rd

PHONE(S) 304 837-7615

WATER USES: Drinking \_\_\_\_\_ Cooking \_\_\_\_\_ Laundry \_\_\_\_\_ Outdoor  None \_\_\_\_\_

USER COMMENTS (Taste/Odor/Color/Clarity) \_\_\_\_\_

DOES WELL GO DRY(y/n) \_\_\_\_\_ BEEN SAMPLED BEFORE(y/n)  DATE 2010

BY WHOM \_\_\_\_\_ DATA AVAILABLE(y/n) \_\_\_\_\_

WELL DEPTH 50 ft. ELEVATION Top of Casing \_\_\_\_\_ DEPTH TO PUMP \_\_\_\_\_ ft. DEPTH TO WATER \_\_\_\_\_ ft.

CASING: Steel \_\_\_\_\_ PVC  DIAM. 6 in. PUMP: Submersible  Jet \_\_\_\_\_ None \_\_\_\_\_

DRILLER \_\_\_\_\_ INST. YEAR 1970 LOG(y/n) \_\_\_\_\_

WELL COMPLETION: Pitless Adapter \_\_\_\_\_ Well Seal  Well House \_\_\_\_\_ Basement \_\_\_\_\_

WELL MAINTENANCE: Disinfection? \_\_\_\_\_ Type? \_\_\_\_\_ Surging? \_\_\_\_\_ Redevelopment? \_\_\_\_\_

DISTANCE TO HOME 30 ft. DIST. TO SEPTIC TANK 80 ft. GRADE \_\_\_\_\_

Buried Well Seal? no Can well be examined easily? yes

OTHER POTENTIAL IMPACTS? \_\_\_\_\_

SAMPLE LOCATION: Hose Bib  Indoor Faucet \_\_\_\_\_ Well/Pump Faucet  DS

WATER TREATMENT SYSTEM(y/n) \_\_\_\_\_ PRE-TREATMENT SAMPLE(y/n) \_\_\_\_\_

SYSTEM PURGED(y/n) \_\_\_\_\_ AMOUNT PURGED 15 gal

SAMPLER COMMENTS: Color None Clarity clear Odor slight

FIELD MEASUREMENTS: Temp \_\_\_\_\_ °F Cond 0.68 µmho/cm pH \_\_\_\_\_

SAMPLE SPLIT(y/n) \_\_\_\_\_ WITH WHOM \_\_\_\_\_

DOMESTIC WATER WELL INVENTORY/SAMPLE FORM

WELL ID DW24 TRIAD REP(S) WW, DS

COORDINATES: N 38 <sup>03.349</sup> 03' 21.0" W 81 <sup>36.617</sup> 03' 37.0" ELEV. \_\_\_\_\_

PHYSICAL STREET ADDRESS OR DISTANCE/DIRECTION TO NEAREST INTERSECTION

11710 Prenter Rd Beth, WV

NEAREST SW STREAM Hopkins Creek, 100 ft

NAME \_\_\_\_\_

MAILING ADDRESS \_\_\_\_\_

PHONE(S) \_\_\_\_\_

WATER USES: Drinking \_\_\_\_\_ Cooking \_\_\_\_\_ Laundry  Outdoor  None \_\_\_\_\_

USER COMMENTS (Taste/Odor/Color/Clarity) shower, dishes  
sulfur smell

DOES WELL GO DRY(y/n) \_\_\_\_\_ BEEN SAMPLED BEFORE(y/n) yes DATE April, May 2010

BY WHOM Triad (he thinks) DATA AVAILABLE(y/n) \_\_\_\_\_

WELL DEPTH 56 ft. ELEVATION Top of Casing \_\_\_\_\_ DEPTH TO PUMP \_\_\_\_\_ ft. DEPTH TO WATER \_\_\_\_\_ ft.

CASING: Steel  PVC \_\_\_\_\_ DIAM. \_\_\_\_\_ in. PUMP: Submersible  Jet  None \_\_\_\_\_

DRILLER \_\_\_\_\_ INST. YEAR \_\_\_\_\_ LOG(y/n) \_\_\_\_\_

WELL COMPLETION: Pitless Adapter \_\_\_\_\_ Well Seal \_\_\_\_\_ Well House  Basement \_\_\_\_\_

WELL MAINTENANCE: Disinfection?  Type? \_\_\_\_\_ Surging? \_\_\_\_\_ Redevelopment? \_\_\_\_\_

DISTANCE TO HOME 5 ft. DIST. TO SEPTIC TANK 50 ft. GRADE \_\_\_\_\_

Buried Well Seal?  Can well be examined easily?

OTHER POTENTIAL IMPACTS? \_\_\_\_\_

SAMPLE LOCATION: Hose Bib \_\_\_\_\_ Indoor Faucet \_\_\_\_\_ Well/Pump Faucet

WATER TREATMENT SYSTEM(y/n) \_\_\_\_\_ PRE-TREATMENT SAMPLE(y/n) \_\_\_\_\_

SYSTEM PURGED(y/n)  AMOUNT PURGED 15 gal

SAMPLER COMMENTS: Color \_\_\_\_\_ Clarity \_\_\_\_\_ Odor \_\_\_\_\_

FIELD MEASUREMENTS: Temp \_\_\_\_\_ °F Cond 0.39 µmho/cm pH \_\_\_\_\_

SAMPLE SPLIT(y/n)  WITH WHOM \_\_\_\_\_

DOMESTIC WATER WELL INVENTORY/SAMPLE FORM

WELL ID DW27 TRIAD REP(S) CDW/BAF

COORDINATES: N 38.01628 W 81.62486 ELEV. 968'

PHYSICAL STREET ADDRESS OR DISTANCE/DIRECTION TO NEAREST INTERSECTION

NEAREST SW STREAM \_\_\_\_\_

NAME \_\_\_\_\_

MAILING ADDRESS 18105 Prenter Rd

PHONE(S) 837-8540

owned by County Commission

WATER USES: Drinking  Cooking \_\_\_\_\_ Laundry \_\_\_\_\_ Outdoor \_\_\_\_\_ None \_\_\_\_\_

USER COMMENTS (Taste/Odor/Color/Clarity) \_\_\_\_\_

Tyler Mtn Water used for drinking/cooking

Well water boiled for hand washing, dishes etc

wht. sulfur

DOES WELL GO DRY(y/n) N BEEN SAMPLED BEFORE(y/n) Y DATE early March/11

BY WHOM Health Dept. DATA AVAILABLE(y/n) \_\_\_\_\_

WELL DEPTH \_\_\_\_\_ ft. ELEVATION Top of Casing \_\_\_\_\_ DEPTH TO PUMP \_\_\_\_\_ ft. DEPTH TO WATER \_\_\_\_\_ ft.

CASING: Steel \_\_\_\_\_ PVC \_\_\_\_\_ DIAM. \_\_\_\_\_ in. PUMP: Submersible \_\_\_\_\_ Jet \_\_\_\_\_ None \_\_\_\_\_

DRILLER \_\_\_\_\_ INST. YEAR \_\_\_\_\_ LOG(y/n) \_\_\_\_\_

WELL COMPLETION: Pitless Adapter \_\_\_\_\_ Well Seal \_\_\_\_\_ Well House \_\_\_\_\_ Basement \_\_\_\_\_

WELL MAINTENANCE: Disinfection? \_\_\_\_\_ Type? \_\_\_\_\_ Surging? \_\_\_\_\_ Redevelopment? \_\_\_\_\_

DISTANCE TO HOME \_\_\_\_\_ ft. DIST. TO SEPTIC TANK >500 ft. GRADE down

Buried Well Seal? \_\_\_\_\_ Can well be examined easily? \_\_\_\_\_

OTHER POTENTIAL IMPACTS? none

SAMPLE LOCATION: Hose Bib \_\_\_\_\_ Indoor Faucet  Kitchen Well/Pump Faucet \_\_\_\_\_

WATER TREATMENT SYSTEM(y/n) N PRE-TREATMENT SAMPLE(y/n) N

SYSTEM PURGED(y/n) 4 min AMOUNT PURGED 5 gal

SAMPLER COMMENTS: Color \_\_\_\_\_ Clarity \_\_\_\_\_ Odor \_\_\_\_\_

FIELD MEASUREMENTS: Temp 17.8 °C Cond 306 µmho/cm pH 7.48

SAMPLE SPLIT(y/n) \_\_\_\_\_ WITH WHOM \_\_\_\_\_

Send results.

DOMESTIC WATER WELL INVENTORY/SAMPLE FORM

WELL ID W28 TRIAD REP(S) BAF & DMS

COORDINATES: N 38 04' 36.5" W 81 38' 03.8" ELEV. \_\_\_\_\_

PHYSICAL STREET ADDRESS OR DISTANCE/DIRECTION TO NEAREST INTERSECTION

0359 Prenter Rd

NEAREST SW STREAM Hopkins

NAME \_\_\_\_\_

MAILING ADDRESS PO Box 76 Seth, WV

PHONE(S) 304

WATER USES: Drinking \_\_\_\_\_ Cooking \_\_\_\_\_ Laundry \_\_\_\_\_ Outdoor  None \_\_\_\_\_

USER COMMENTS (Taste/Odor/Color/Clarity) red, iron

DOES WELL GO DRY(y/n)  BEEN SAMPLED BEFORE(y/n)  DATE 2 1/2 - 3 yrs ago  
BY WHOM Driller & Coal Co DATA AVAILABLE(y/n) \_\_\_\_\_

Driller  
↑  
1987  
↓  
Coal Co

WELL DEPTH 32 ft. ELEVATION Top of Casing \_\_\_\_\_ DEPTH TO PUMP 32 ft. DEPTH TO WATER 7 ft.

CASING: Steel  PVC \_\_\_\_\_ DIAM. 6 in. PUMP: Submersible  Jet \_\_\_\_\_ None \_\_\_\_\_

DRILLER Danell Ross Water Drillers INST. YEAR 10/1980 LOG(y/n) \_\_\_\_\_

WELL COMPLETION: Pitless Adapter \_\_\_\_\_ Well Seal \_\_\_\_\_ Well House  Basement \_\_\_\_\_

WELL MAINTENANCE: Disinfection?  Type? \_\_\_\_\_ Surging? \_\_\_\_\_ Redevelopment? \_\_\_\_\_

DISTANCE TO HOME 20 ft. DIST. TO SEPTIC TANK 85 ft. GRADE \_\_\_\_\_

Buried Well Seal? \_\_\_\_\_ Can well be examined easily? yes

OTHER POTENTIAL IMPACTS? \_\_\_\_\_

SAMPLE LOCATION: Hose Bib  Indoor Faucet \_\_\_\_\_ Well/Pump Faucet \_\_\_\_\_

WATER TREATMENT SYSTEM(y/n) \_\_\_\_\_ PRE-TREATMENT SAMPLE(y/n) \_\_\_\_\_

SYSTEM PURGED(y/n)  AMOUNT PURGED 15 gal

SAMPLER COMMENTS: Color \_\_\_\_\_ Clarity \_\_\_\_\_ Odor \_\_\_\_\_

FIELD MEASUREMENTS: Temp 25.4 °F Cond 0.17 mg/l pH \_\_\_\_\_

SAMPLE SPLIT(y/n)  WITH WHOM \_\_\_\_\_

Hopkins Fork  
B

DOMESTIC WATER WELL INVENTORY/SAMPLE FORM

WELL ID DW 29 TRIAD REP(S) BAF & DMS

COORDINATES: N 38 02° 53' 14" W 81 30° 58.6" ELEV. 0

PHYSICAL STREET ADDRESS OR DISTANCE/DIRECTION TO NEAREST INTERSECTION \_\_\_\_\_

NEAREST SW STREAM Hopkins Fork

NAME \_\_\_\_\_

MAILING ADDRESS \_\_\_\_\_

PHONE(S) 304-837-3499

phys. 477 Cabot Rd

WATER USES: Drinking \_\_\_\_\_ Cooking \_\_\_\_\_ Laundry  Outdoor  None \_\_\_\_\_

USER COMMENTS (Taste/Odor/Color/Clarity) showers dishes  
smells like something dead, turned a  
ting black, oily

DOES WELL GO DRY(y/n) N BEEN SAMPLED BEFORE(y/n) N DATE \_\_\_\_\_

BY WHOM \_\_\_\_\_ DATA AVAILABLE(y/n) \_\_\_\_\_

WELL DEPTH \_\_\_\_\_ ft. ELEVATION Top of Casing \_\_\_\_\_ DEPTH TO PUMP \_\_\_\_\_ ft. DEPTH TO WATER \_\_\_\_\_ ft.

CASING: Steel  PVC \_\_\_\_\_ DIAM. \_\_\_\_\_ in. PUMP: Submersible \_\_\_\_\_ Jet  None \_\_\_\_\_

DRILLER \_\_\_\_\_ INST. YEAR approx 205 LOG(y/n) \_\_\_\_\_

WELL COMPLETION: Pitless Adapter \_\_\_\_\_ Well Seal \_\_\_\_\_ Well House  Basement \_\_\_\_\_

WELL MAINTENANCE: Disinfection? N Type? \_\_\_\_\_ Surging? \_\_\_\_\_ Redevelopment? \_\_\_\_\_

DISTANCE TO HOME 5 ft. DIST. TO SEPTIC TANK 200 ft. GRADE \_\_\_\_\_

Buried Well Seal? N Can well be examined easily? Y

OTHER POTENTIAL IMPACTS? \_\_\_\_\_

SAMPLE LOCATION: Hose Bib  Indoor Faucet \_\_\_\_\_ Well/Pump Faucet

WATER TREATMENT SYSTEM(y/n) N PRE-TREATMENT SAMPLE(y/n) \_\_\_\_\_

SYSTEM PURGED(y/n) Y AMOUNT PURGED 15 gal

SAMPLER COMMENTS: Color N/A Clarity clear Odor sulfur

FIELD MEASUREMENTS: Temp \_\_\_\_\_ °F Cond 24 uS µmho/cm pH \_\_\_\_\_

SAMPLE SPLIT(y/n) N WITH WHOM \_\_\_\_\_

DOMESTIC WATER WELL INVENTORY/SAMPLE FORM

WELL ID DW30 TRIAD REP(S) BAF & DMS

COORDINATES: N 38 <sup>02.349</sup> 02' 21" W 81 <sup>342.953</sup> 34' 57.2" ELEV. \_\_\_\_\_

PHYSICAL STREET ADDRESS OR DISTANCE/DIRECTION TO NEAREST INTERSECTION

154 Cabot Rd

NEAREST SW STREAM Hopkins Fork

NAME \_\_\_\_\_  
MAILING ADDRESS 170 Box 283 Seth, WV 25181  
PHONE(S) 304-837-3849

WATER USES: Drinking \_\_\_\_\_ Cooking \_\_\_\_\_ Laundry  Outdoor  None \_\_\_\_\_  
USER COMMENTS (Taste/Odor/Color/Clarity) dishes, ~~to~~ commode  
smells like sulfur ~~to~~ commode

DOES WELL GO DRY(y/n) N BEEN SAMPLED BEFORE(y/n) N DATE \_\_\_\_\_  
BY WHOM \_\_\_\_\_ DATA AVAILABLE(y/n) \_\_\_\_\_

WELL DEPTH \_\_\_\_\_ ft. ELEVATION Top of Casing \_\_\_\_\_ DEPTH TO PUMP \_\_\_\_\_ ft. DEPTH TO WATER \_\_\_\_\_ ft.  
CASING: Steel  PVC \_\_\_\_\_ DIAM. 4 in. PUMP: Submersible \_\_\_\_\_ Jet  None \_\_\_\_\_  
DRILLER \_\_\_\_\_ INST. YEAR \_\_\_\_\_ LOG(y/n) \_\_\_\_\_  
WELL COMPLETION: Pitless Adapter \_\_\_\_\_ Well Seal \_\_\_\_\_ Well House  Basement \_\_\_\_\_

WELL MAINTENANCE: Disinfection? N Type? \_\_\_\_\_ Surging? \_\_\_\_\_ Redevelopment? \_\_\_\_\_  
DISTANCE TO HOME 100 ft. DIST. TO SEPTIC TANK 200 ft. GRADE \_\_\_\_\_  
Buried Well Seal? N Can well be examined easily? Y  
OTHER POTENTIAL IMPACTS? \_\_\_\_\_

SAMPLE LOCATION: Hose Bib \_\_\_\_\_ Indoor Faucet  Well/Pump Faucet \_\_\_\_\_  
WATER TREATMENT SYSTEM(y/n) \_\_\_\_\_ PRE-TREATMENT SAMPLE(y/n) \_\_\_\_\_  
SYSTEM PURGED(y/n) Y AMOUNT PURGED 5 gal  
SAMPLER COMMENTS: Color N/A Clarity clear Odor sulfur  
FIELD MEASUREMENTS: Temp \_\_\_\_\_ °F Cond \_\_\_\_\_ µmho/cm pH \_\_\_\_\_  
SAMPLE SPLIT(y/n) \_\_\_\_\_ WITH WHOM \_\_\_\_\_

Hopkins Fork A

DOMESTIC WATER WELL INVENTORY/SAMPLE FORM

WELL ID DW31 TRIAD REP(S) BAF/Dms

COORDINATES: N 38 <sup>05.100</sup> 05' 09.6" W 81 <sup>38.479</sup> 39' 28.7" ELEV. \_\_\_\_\_

PHYSICAL STREET ADDRESS OR DISTANCE/DIRECTION TO NEAREST INTERSECTION  
4217 Prenter Rd

NEAREST SW STREAM Hopkins Fork A

NAME \_\_\_\_\_  
MAILING ADDRESS 4217 Prenter Rd  
PHONE(S) 304 837 3457

WATER USES: Drinking \_\_\_\_\_ Cooking \_\_\_\_\_ Laundry \_\_\_\_\_ Outdoor  None \_\_\_\_\_

USER COMMENTS (Taste/Odor/Color/Clarity) bad smell

DOES WELL GO DRY(y/n) N BEEN SAMPLED BEFORE(y/n) Y DATE \_\_\_\_\_  
BY WHOM water co DATA AVAILABLE(y/n) \_\_\_\_\_

WELL DEPTH \_\_\_\_\_ ft. ELEVATION Top of Casing \_\_\_\_\_ DEPTH TO PUMP \_\_\_\_\_ ft. DEPTH TO WATER \_\_\_\_\_ ft.

CASING: Steel  PVC \_\_\_\_\_ DIAM. 6 in. PUMP: Submersible \_\_\_\_\_ Jet  None \_\_\_\_\_

DRILLER \_\_\_\_\_ INST. YEAR 30'S LOG(y/n) \_\_\_\_\_

WELL COMPLETION: Pitless Adapter \_\_\_\_\_ Well Seal \_\_\_\_\_ Well House  Basement

WELL MAINTENANCE: Disinfection? No type? \_\_\_\_\_ Surging? \_\_\_\_\_ Redevelopment? \_\_\_\_\_

DISTANCE TO HOME 0 ft. DIST. TO SEPTIC TANK 50 ft. GRADE \_\_\_\_\_

Buried Well Seal? \_\_\_\_\_ Can well be examined easily? \_\_\_\_\_

OTHER POTENTIAL IMPACTS? \_\_\_\_\_

SAMPLE LOCATION: Hose Bib  Indoor Faucet \_\_\_\_\_ Well/Pump Faucet \_\_\_\_\_

WATER TREATMENT SYSTEM(y/n) N PRE-TREATMENT SAMPLE(y/n) \_\_\_\_\_

SYSTEM PURGED(y/n) Y AMOUNT PURGED 15 gal

SAMPLER COMMENTS: Color NA Clarity clear Odor \_\_\_\_\_

FIELD MEASUREMENTS: Temp \_\_\_\_\_ °F Cond \_\_\_\_\_ umho/cm pH \_\_\_\_\_

SAMPLE SPLIT(y/n) N WITH WHOM \_\_\_\_\_

Mail Results.

Laurel Creek A

DOMESTIC WATER WELL INVENTORY/SAMPLE FORM

WELL ID DW32 TRIAD REP(S) BAF & DMS

05,749' 38,019'

COORDINATES: N 38 05' 44.5" W 81 38' 01.1" ELEV. \_\_\_\_\_

PHYSICAL STREET ADDRESS OR DISTANCE/DIRECTION TO NEAREST INTERSECTION

585 Prenter Rd

NEAREST SW STREAM Laurel Creek A

NAME \_\_\_\_\_

MAILING ADDRESS 102 Glasebrook Lane Seth 25181

PHONE(S) 304-837-7418

WATER USES: Drinking \_\_\_\_\_ Cooking \_\_\_\_\_ Laundry \_\_\_\_\_ Outdoor \_\_\_\_\_ None \_\_\_\_\_

USER COMMENTS (Taste/Odor/Color/Clarity) NO

DOES WELL GO DRY(y/n) N BEEN SAMPLED BEFORE(y/n) Y DATE \_\_\_\_\_

BY WHOM \_\_\_\_\_ DATA AVAILABLE(y/n) \_\_\_\_\_

WELL DEPTH 53 ft. ELEVATION Top of Casing \_\_\_\_\_ DEPTH TO PUMP 45 ft. DEPTH TO WATER \_\_\_\_\_ ft.

CASING: Steel  PVC \_\_\_\_\_ DIAM. \_\_\_\_\_ in. PUMP: Submersible  Jet \_\_\_\_\_ None \_\_\_\_\_

DRILLER \_\_\_\_\_ INST. YEAR 1977 LOG(y/n) \_\_\_\_\_

WELL COMPLETION: Pitless Adapter \_\_\_\_\_ Well Seal  Well House \_\_\_\_\_ Basement \_\_\_\_\_

WELL MAINTENANCE: Disinfection? N Type? \_\_\_\_\_ Surging? \_\_\_\_\_ Redevelopment? \_\_\_\_\_

DISTANCE TO HOME 10 ft. DIST. TO SEPTIC TANK 30 ft. GRADE \_\_\_\_\_

Buried Well Seal?  Can well be examined easily? NO

OTHER POTENTIAL IMPACTS? \_\_\_\_\_

SAMPLE LOCATION: Hose Bib  Indoor Faucet \_\_\_\_\_ Well/Pump Faucet \_\_\_\_\_

WATER TREATMENT SYSTEM(y/n) \_\_\_\_\_ PRE-TREATMENT SAMPLE(y/n) \_\_\_\_\_

SYSTEM PURGED(y/n)  AMOUNT PURGED 15 gal

SAMPLER COMMENTS: Color NA Clarity clear Odor sulfur

FIELD MEASUREMENTS: Temp \_\_\_\_\_ °F Cond \_\_\_\_\_ umho/cm pH \_\_\_\_\_

SAMPLE SPLIT(y/n) \_\_\_\_\_ WITH WHOM \_\_\_\_\_

DOMESTIC WATER WELL INVENTORY/SAMPLE FORM

WELL ID DW33 TRIAD REP(S) BAF + DMS

COORDINATES: N 38 <sup>04.190</sup>04" 11.2" W 81 <sup>38.525</sup>38" 31.5" ELEV. \_\_\_\_\_

PHYSICAL STREET ADDRESS OR DISTANCE/DIRECTION TO NEAREST INTERSECTION

899 Laurel Creek Rd

NEAREST SW STREAM Laurel Creek

NAME \_\_\_\_\_

MAILING ADDRESS \_\_\_\_\_

PHONE(S) \_\_\_\_\_

WATER USES: Drinking  Cooking  Laundry  Outdoor  None \_\_\_\_\_

USER COMMENTS (Taste/Odor/Color/Clarity) \_\_\_\_\_

DOES WELL GO DRY(y/n)  BEEN SAMPLED BEFORE(y/n) \_\_\_\_\_ DATE \_\_\_\_\_

BY WHOM \_\_\_\_\_ DATA AVAILABLE(y/n) \_\_\_\_\_

WELL DEPTH 100+ ft. ELEVATION Top of Casing \_\_\_\_\_ DEPTH TO PUMP \_\_\_\_\_ ft. DEPTH TO WATER \_\_\_\_\_ ft.

CASING: Steel  PVC \_\_\_\_\_ DIAM. \_\_\_\_\_ in. PUMP: Submersible \_\_\_\_\_ Jet  None \_\_\_\_\_

DRILLER \_\_\_\_\_ INST. YEAR \_\_\_\_\_ LOG(y/n) \_\_\_\_\_

WELL COMPLETION: Pitless Adapter \_\_\_\_\_ Well Seal \_\_\_\_\_ Well House  Basement \_\_\_\_\_

WELL MAINTENANCE: Disinfection?  Type? \_\_\_\_\_ Surging? \_\_\_\_\_ Redevelopment? \_\_\_\_\_

DISTANCE TO HOME 100 ft. DIST. TO SEPTIC TANK 150 ft. GRADE \_\_\_\_\_

Buried Well Seal? \_\_\_\_\_ Can well be examined easily? yes

OTHER POTENTIAL IMPACTS? \_\_\_\_\_

SAMPLE LOCATION: Hose Bib \_\_\_\_\_ Indoor Faucet  Well/Pump Faucet \_\_\_\_\_

WATER TREATMENT SYSTEM(y/n) \_\_\_\_\_ PRE-TREATMENT SAMPLE(y/n) \_\_\_\_\_

SYSTEM PURGED(y/n)  AMOUNT PURGED 10 gal

SAMPLER COMMENTS: Color N/A Clarity clear Odor perfum

FIELD MEASUREMENTS: Temp \_\_\_\_\_ °F Cond \_\_\_\_\_ µmho/cm pH \_\_\_\_\_

SAMPLE SPLIT(y/n)  WITH WHOM \_\_\_\_\_