

West Virginia Department of Environmental Protection Office of Oil & Gas 601 57th Street SE Charleston, WV 25304-2345

DEP Office Use only
Date Received by Oil & Gas:
Administratively Complete - Oil & Gas:
☐ Yes ☐ No:
Assigned Impoundment ID #:
Approval Date:

# **Centralized Impoundment / Pit Application**

Instruction: Pursuant to W.Va. Code § 22-6A-9, this application is to be used to apply for a <u>Certificate of Approval</u> for a Centralized Impoundment or Pit. The definition of <u>centralized impoundment or pit</u> is an impoundment or pit not associated with a well work permit. An <u>associated impoundment or pit</u> means it has been designed and included in the drilling permit application and is included in the reclamation time frame of well work permit, and will be approved in conjunction with the well work permit. The centralized impoundments will be regulated independently of the well work permit process. A surface use agreement will be required to install and operate a centralized impoundment or pit. An impoundment ID number will be assigned by WVDEP, Office of Oil and Gas, to all impoundments and pits.

Operator Name:

### Section 1 – Operator Information

Operator ID:

Name of Structure*			
Address: Street			
City:	State:	Zip:	
Contact Name:	Contact Title:		
Contact Phone:	Contact Email:		
Section 2 – Engineering / I	Design Contractor Information		
Design will be contracted ☐ Des	signed in-house 🗆		
Company Name:			
Address: Street			
0.1	State:	Zip:	
Contact Name:	Contact Title:		
Contact Dhone:	Contact Email:		
Certifying Professional Engineer:			
Professional Engineer Registratio	n Number:		



## **Section 3 - Impoundment / Pit Information**

Type of Structure. Check one of two choices below:							
☐ Centralized Freshwater Impoundment ☐ Centralized Waste Pit							
<b>Note</b> : Any waste in a pit will make it a waste pit. Centralized waste pits will be constructed in accordance to "Design and Construction Standards for Centralized Pits". This standard is available on WV DEP Office of Oil and Gas web page.							
Name of Structure *							
County:	Distric	t:					
USGS 7.5' Quad Map Name:							
Farm Name:							
Physical Description of Location	:						
(Note: Give general location, example: 2	miles south of Smalltown, WV on Rt.	22, left on Buffalo Creek)					
Watershed (nearest perennial):							
Distance (Drainage Distance) to	nearest perennial stream:						
,	·						
Location Coordinates (NAD83, D	Decimal Degrees (xx.xxxx, -xx	xxxx))					
Latitude:	Longitude (Use negative	sign):					
UTM Coordinates :	E	N					
Access Road Coordinates (junct	ion of state highway access)						
Latitude:	Longitude (Use negativ	e sign):					
UTM Coordinates :	E	N					
Approximate Dimensions							
Length:	Width:	Height:					
Note: If irregularly shaped, give approximately	nate dimensions of long axis.						
Total Capacity - Provide all units	s of measure below:						
Barrels:	Gallons:	Acre-Feet:					
Capacity with 2' Freeboad - Pro	vide all units of measure below	v:					
Barrels:	Gallons:	Acre-Feet:					
Incised volume:							
Barrels:	Gallons:	Acre-Feet:					
Net impounded volume: (Total v	•	Agra Facti					
Barreis:	Gailons:	Acre-Feet:					
Anticipated Construction Office D	oto (ootimotian, naa lainalis a)						
Anticipated Construction Start D  Note: No construction may begin		nt until WVDEP issues a Certificate of A	opproval. At				
Note: No construction may begin on <b>Centralized</b> Impoundment until WVDEP issues a Certificate of Approval. At least 7 calendar days prior to confirmed construction start date, notify the Office of Oil & Gas, the local Oil and Gas							
		orm "Notification of Impoundment / Pit (					



Section 4. Required Information Checklist for Certificate of Approval for a Centralized Impoundment or Pit (not permit associated) Include the following information and plans with this application.

นาเร ส	application.
	The WV DEP Impoundment web page was reviewed prior to submittal of this application to ensure most current forms are being used. , <a href="http://www.dep.wv.gov/oil-and-gas/Impoundments/Pages/default.aspx">http://www.dep.wv.gov/oil-and-gas/Impoundments/Pages/default.aspx</a>
	Engineered Construction Plans, certified by WV Registered P.E. Construction Plans will include total limits of disturbance and all access roads. Centralized waste pits will be constructed in accordance to "Design
	and Construction Standards for Centralized Pits"
	Erosion and Sediment Control Plan, certified by WV Registered P.E E&S Plan will include total limits of disturbance of the project and all access roads.
	Reclamation Plan, detailing post-construction reclamation <b>and</b> post-use reclamation, certified by WV
	Registered P.E. Reclamation Plans will include total limits of disturbance of the project and all access roads.
	Impoundment / Pit Maintenance Plan, certified by WV Registered P.E. See example on WVDEP Office of Oil and Gas Impoundment web page.
	Impoundment / Pit Monitoring and Emergency Plan, certified by WV Registered P.E. See example on WVDEP Office of Oil and Gas Impoundment web page.
	Water Quality Monitoring Plan – <b>For Centralized Waste Pits Only</b> - Plan for surface and groundwater monitoring. Must be approved by WVDEP in writing prior to implementation.
	Water Management Plan Application
	Applicable if impoundment will receive more than 5,000 bbls of water from a stream. Waste pits may also require a Water Management Plan if freshwater will be added to waste pit from a stream source. If an approved Water Management Plan exists and accounts for this facility, provide Water Management Plan No
	Surface Owner Notification / Proof of Delivery of this application and erosion and sediment control plan to
	the surface owner on whose property the structure will be placed. Use form WW-6A. (Note: Surface Owner
	only is required to be notified)
	F = MOOO A = Parties for forestell addition and south
	Fee - \$300 Application fee for centralized impoundment or pit.
	ion 5 – Dam Standard Qualifying Evaluation
Sect	ion 5 – Dam Standard Qualifying Evaluation  The design of this structure has been evaluated by the applicant to determine it does NOT qualify to be defined as a dam, under W.Va Rule §47-34. If the design of this structure qualifies it to be defined as a dam, all permits regulating dams will be required prior to registering the structure with the Office of Oil and Gas. The dam standard, from the WVDEP, Div. Of Water and Waste, is available for review at:
Sect	ion 5 – Dam Standard Qualifying Evaluation  The design of this structure has been evaluated by the applicant to determine it does NOT qualify to be defined as a dam, under W.Va Rule §47-34. If the design of this structure qualifies it to be defined as a dam, all permits regulating dams will be required prior to registering the structure with the Office of Oil and Gas. The dam standard, from the WVDEP, Div. Of Water and Waste, is available for review at:
Sect	ion 5 – Dam Standard Qualifying Evaluation  The design of this structure has been evaluated by the applicant to determine it does NOT qualify to be defined as a dam, under W.Va Rule §47-34. If the design of this structure qualifies it to be defined as a dam, all permits regulating dams will be required prior to registering the structure with the Office of Oil and Gas. The dam standard, from the WVDEP, Div. Of Water and Waste, is available for review at: http://www.dep.wv.gov/WWE/ee/ds/Pages/default.aspx
Sect	ion 5 – Dam Standard Qualifying Evaluation  The design of this structure has been evaluated by the applicant to determine it does NOT qualify to be defined as a dam, under W.Va Rule §47-34. If the design of this structure qualifies it to be defined as a dam, all permits regulating dams will be required prior to registering the structure with the Office of Oil and Gas. The dam standard, from the WVDEP, Div. Of Water and Waste, is available for review at: http://www.dep.wv.gov/WWE/ee/ds/Pages/default.aspx
Sect	ion 5 – Dam Standard Qualifying Evaluation  The design of this structure has been evaluated by the applicant to determine it does NOT qualify to be defined as a dam, under W.Va Rule §47-34. If the design of this structure qualifies it to be defined as a dam, all permits regulating dams will be required prior to registering the structure with the Office of Oil and Gas. The dam standard, from the WVDEP, Div. Of Water and Waste, is available for review at: http://www.dep.wv.gov/WWE/ee/ds/Pages/default.aspx
Sect	ion 5 – Dam Standard Qualifying Evaluation  The design of this structure has been evaluated by the applicant to determine it does NOT qualify to be defined as a dam, under W.Va Rule §47-34. If the design of this structure qualifies it to be defined as a dam, all permits regulating dams will be required prior to registering the structure with the Office of Oil and Gas. The dam standard, from the WVDEP, Div. Of Water and Waste, is available for review at: http://www.dep.wv.gov/WWE/ee/ds/Pages/default.aspx
Sect	ion 5 – Dam Standard Qualifying Evaluation  The design of this structure has been evaluated by the applicant to determine it does NOT qualify to be defined as a dam, under W.Va Rule §47-34. If the design of this structure qualifies it to be defined as a dam, all permits regulating dams will be required prior to registering the structure with the Office of Oil and Gas. The dam standard, from the WVDEP, Div. Of Water and Waste, is available for review at: http://www.dep.wv.gov/WWE/ee/ds/Pages/default.aspx
Sect	ion 5 – Dam Standard Qualifying Evaluation  The design of this structure has been evaluated by the applicant to determine it does NOT qualify to be defined as a dam, under W.Va Rule §47-34. If the design of this structure qualifies it to be defined as a dam, all permits regulating dams will be required prior to registering the structure with the Office of Oil and Gas. The dam standard, from the WVDEP, Div. Of Water and Waste, is available for review at: http://www.dep.wv.gov/WWE/ee/ds/Pages/default.aspx
Sect	ion 5 – Dam Standard Qualifying Evaluation  The design of this structure has been evaluated by the applicant to determine it does NOT qualify to be defined as a dam, under W.Va Rule §47-34. If the design of this structure qualifies it to be defined as a dam, all permits regulating dams will be required prior to registering the structure with the Office of Oil and Gas. The dam standard, from the WVDEP, Div. Of Water and Waste, is available for review at: http://www.dep.wv.gov/WWE/ee/ds/Pages/default.aspx
Sect	ion 5 – Dam Standard Qualifying Evaluation  The design of this structure has been evaluated by the applicant to determine it does NOT qualify to be defined as a dam, under W.Va Rule §47-34. If the design of this structure qualifies it to be defined as a dam, all permits regulating dams will be required prior to registering the structure with the Office of Oil and Gas. The dam standard, from the WVDEP, Div. Of Water and Waste, is available for review at: http://www.dep.wv.gov/WWE/ee/ds/Pages/default.aspx
Sect	ion 5 – Dam Standard Qualifying Evaluation  The design of this structure has been evaluated by the applicant to determine it does NOT qualify to be defined as a dam, under W.Va Rule §47-34. If the design of this structure qualifies it to be defined as a dam, all permits regulating dams will be required prior to registering the structure with the Office of Oil and Gas. The dam standard, from the WVDEP, Div. Of Water and Waste, is available for review at: http://www.dep.wv.gov/WWE/ee/ds/Pages/default.aspx
Sect	ion 5 – Dam Standard Qualifying Evaluation  The design of this structure has been evaluated by the applicant to determine it does NOT qualify to be defined as a dam, under W.Va Rule §47-34. If the design of this structure qualifies it to be defined as a dam, all permits regulating dams will be required prior to registering the structure with the Office of Oil and Gas. The dam standard, from the WVDEP, Div. Of Water and Waste, is available for review at: http://www.dep.wv.gov/WWE/ee/ds/Pages/default.aspx



#### **Section 7 - Application Certification**

I hereby certify that the information listed above is true and accurate. I understand that this pit/impoundment is to be constructed only in a location appropriate for the storage of water, including wastewater, and will be constructed in accordance with plans designed and certified by a West Virginia registered professional engineer. I further recognize that all required plans have been submitted to the Office of Oil and Gas. I understand that after construction, and prior to any fluid being placed in the pit/impoundment, it shall be inspected by a West Virginia registered professional engineer to ensure compliance with the certified design and construction plan, and that the professional engineer shall certify that this structure was constructed in accordance with design and construction plans. I understand that such certification shall be in writing to the Chief and that no fluids may be placed in the pit/impoundment until the certification has been filed with the chief. I agree that this pit/impoundment shall be constructed, maintained, operated and closed in accordance with all applicable laws and rules, including the requirements of W. Va. Code § 35-4-21 and W. Va. Code § 22-6A . I further certify that a surface use agreement is in place between the applicant and surface owner(s) which contains mutually agreed upon terms for the placement and operation of this structure.

Name: Title:				
Signature:				
Faken, subscribed and sworn to before me this, Day of 20			_ 20	
Notary Public:				_
My commission	expires:			
Notary Seal:				
Section 8. S	ubmittal Instructions			

Submit original paper copy of application to:

West Virginia Department of Environmental Protection
Office of Oil and Gas
Impoundment Registration
601 57<sup>th</sup> Street, SE
Charleston WW 25304

<sup>\*</sup> Name of Structure: Please give the pit or impoundment a unique name, and use the name consistently in the future when referring to this structure.