



ADDITIONAL INFORMATION FOR MUNICIPAL/PRIVATE SEWAGE TREATMENT WASTELOAD ALLOCATION

WVDEP 02/2010

DATE: \_\_\_\_\_

Facility Name: \_\_\_\_\_

- 1. Current Design of Wastewater Treatment Plant: \_\_\_\_\_ MGD
2. Proposed Design of Wastewater Treatment Plant: \_\_\_\_\_ MGD
3. Total number of proposed new customers (not currently served permitted facilities): \_\_\_\_\_ Customers
4. Calculate the Wastewater flow associated with existing discharges

\*NOTE-Number of customers from (a) and (b) should equal the total number listed in part 3 above\*

(a) Amount that have failing septic tank systems (documented failures) or straight pipes:

Table with 3 columns: Design Criteria, Existing, and Customers. Rows include Number of Customers, Flow per household (175 gallons/day/customer), and Total wastewater flow.

(b) Amount that have functioning septic systems (no documented failures, but the potential to fail exists):

Table with 3 columns: Design Criteria, Existing, and Customers. Rows include Number of Customers, Flow per household (175 gallons/day/customer), and Total wastewater flow.

- 5. List all currently permitted facilities if any that will be part of the extension: (Give the name of the facility, WV/NPDES permit number, and design flow limitation)

- (1) \_\_\_\_\_
(2) \_\_\_\_\_
(3) \_\_\_\_\_
(4) \_\_\_\_\_
(5) \_\_\_\_\_
(6) \_\_\_\_\_
(7) \_\_\_\_\_
(8) \_\_\_\_\_
(9) \_\_\_\_\_
(10) \_\_\_\_\_

- 6. Does the project include any reduction of Combined Sewer Overflows CSO? Yes No
If so, what are the reductions proposed: \_\_\_\_\_ gallons/day

We will process your personal information (email address, mailing address and/or telephone number) in accordance with the State of West Virginia's Privacy Policy for appropriate and customary business purposes. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. The Division of Water and Waste Management will appropriately secure your personal information. If you have any questions about our use of your personal information, please contact the DEP's Chief Privacy officer at deprivacyofficer@wv.gov.