

ETHYLENE OXIDE:


**A CONVERSATION WITH EPA
AND WVDEP**

For the Communities of South Charleston and Institute, West Virginia

September 23, 2021

A decorative graphic consisting of several parallel white lines of varying lengths, slanted diagonally from the bottom right towards the top right, set against a blue gradient background.

GOALS

- Share information on Ethylene Oxide
 - Present EPA and WVDEP actions
 - Discuss Next Steps
 - Answer Questions
- 
- A decorative graphic consisting of several parallel white lines of varying lengths, slanted diagonally from the bottom right towards the top right, set against the blue background.

Ethylene Oxide


- What is Ethylene Oxide (EtO)?
- What are its uses, and why is it important?
- What are the findings for S. Charleston and Institute, WV?
- What are EPA and WVDEP doing about EtO?
- Where can I find more information about EtO?

WHAT IS ETHYLENE OXIDE?



What is EtO?

- A colorless gas at room temperature
- Flammable
- Used to make other chemicals
- Sterilizing agent
- Created naturally



What is EtO used for?

- Chemical facilities manufacture EtO to produce things we use every day
- Makes ethylene glycol, which is a key ingredient in a variety of consumer household products




What is EtO used for?

- **To sterilize things that cannot be sterilized by other methods**
 - Medical equipment
 - Surgical equipment and supplies
- **To fumigate certain items that cannot get wet**




Sources of EtO Emissions Nationwide



Ethylene Oxide Emissions (tons)
from National Emission Inventory Point Data Category

WHY IS ETHYLENE OXIDE IMPORTANT?



EtO Health Impacts

EtO is a carcinogen and can damage the nervous system:

Acute symptoms (short term): May cause eye/skin/respiratory irritation, headache, nausea

Chronic symptoms (long term): May cause cancer, mutagenic (it can damage DNA) changes, neurotoxicity

EtO History

- **1985:** Integrated Risk Assessment (IRIS) completed based on animal exposure studies
- **2016:** Integrated Risk Information System (IRIS) completed based on human occupational studies
- **2018:** EPA's National Air Toxics Assessment (NATA) alerted state and local agencies to potential elevated cancer risks from its screening analysis
- **2020:** EPA Office of Inspector General's Management Alert advised EPA to conduct meetings to communities

Exposure to EtO


- Workers may be exposed to EtO if they work in places where EtO is produced or used, such as chemical plants and commercial or hospital sterilizers.
- People who live near facilities that emit EtO may be exposed to EtO in the outdoor air.
- It is unlikely that EtO would remain in or on food or remain dissolved in water long enough to be eaten or swallowed.
- There is limited information on levels of EtO at hazardous waste sites - in air, water, or soil.

EtO Health Risks


- Risk to get cancer from breathing ethylene oxide is based on exposure for 24 hours a day for 70 years
- One-time, short-term exposure to low amounts of ethylene oxide should not cause immediate harm to a person's health
- Long-term ethylene oxide exposure increases the risk of cancers of the white blood cells including: non-Hodgkin lymphoma; myeloma; lymphocytic leukemia and breast cancer in women

WHAT ARE THE FINDINGS FOR SOUTH CHARLESTON AND INSTITUTE, WV?

EtO Emissions Data



EtO Modeled Risks



HOW DOES EPA ADDRESS EtO RISK?



Human Exposure Model for EtO Risk

- Used primarily for sources emitting air toxics to the air
- Models inhalation exposure to predict estimated risks above background
- Produces estimates of cancer risk and noncancer hazards for air toxics
- Exposure variables are not explicitly addressed

More information can be found at:

www.epa.gov/fera/risk-assessment-and-modeling-human-exposure-model-hem

Why are there different risk values for EtO?

- Texas has a cancer risk value substantially lower than EPA's IRIS risk value for two main reasons:
 - A smaller data set that did not include breast cancer in women as an outcome and the Texas value is based only on lymphoid cancer
 - Because we used different data, Texas selected a statistical model that both EPA and the Science Advisory Board determined does not adequately describe the relevant human cancer data


What does a 1-in-a-million cancer risk mean?

- A cancer risk level of 1-in-1 million implies that,
 - if 1 million people are exposed to the same concentration of EtO continuously (24 hours per day) over 70 years (an assumed lifetime)
 - one person would likely contract cancer from this exposure
- This risk would be in addition to any cancer risk borne by a person not exposed to EtO


Estimated Risk (Above Baseline)

- Using 2017 emissions National Air Toxics Assessment model, EPA estimated the potential increased cancer risk from breathing EtO released from the facilities
 - South Charleston area to be **807 cases in one million for Union Carbide** and **185 cases in one million for Covestro**
 - **379 in one million for Union Carbide** in Institute WV

Factors that affect EtO's health risks

- Your personal health risks (such as age, family history, lifestyle)
 - How much EtO is in the air you breathe
 - How long you have been breathing air with that level of EtO
 - How often you breathe EtO at that level
 - For everyone, including children, risks would decrease with decreased exposure
- 
- A decorative graphic consisting of several parallel white lines of varying lengths and orientations, located in the bottom right corner of the slide.

WHAT IS EPA DOING ABOUT EtO?



MONITORED LEVELS




- EPA has monitored the air for ethylene oxide across the nation as part of our air toxics network.
- We found a range of results nationally where EtO was detected and had high levels of EtO and higher risk.
 - These high results were not in EPA Region 3—not in West Virginia.
 - However, some of these results are also not associated with a known regulated source.
- We are continuing to study the areas to better understand where the ethylene oxide is coming from.
 - For example, the Office of Transportation and Air Quality are looking into possible mobile emissions.

MONITORED LEVELS

- We are also working on getting better at measuring lower concentrations of EtO.
 - We have higher confidence in measuring at concentrations near sources.
 - We have identified and are working to improve the method to reduce issues regarding sample collection and analysis.
 - Analysis methods continue to improve so that we can reduce the uncertainty in the measurements and allow for a better understanding of EtO concentrations in ambient air.

EPA's EtO Response Strategy

- Review Clean Air Act regulations for facilities that emit ethylene oxide.
 - Identify ways to reduce emissions:
 - Work with state agency partners to gather updated EtO facility emissions
 - Discuss voluntary controls with industries.
 - Continue to work and support state partners.
- 
- A decorative graphic consisting of several parallel white lines of varying lengths and orientations, located in the bottom right corner of the slide.


EPA Regulations for EtO Emissions

- 40 CFR. Part 63, Subpart FFFF: Miscellaneous organic chemical manufacturing
- **40 CFR Part 63, Subpart PPP: Polyether polyols production**
- 40 CFR Part 63, Subparts F, G, H, and I: Synthetic organic chemical manufacturing industry
- 40 CFR Part 63, Subpart EEEE: Organic liquids distribution (non-gasoline)
- 40 CFR Part 63, Subpart O: Ethylene oxide-emitting (commercial) sterilization facilities
- 40 CFR Part 63, Subpart WWWW: Hospital sterilizers


Upcoming Regulatory Reviews

- Commercial Sterilizers: Oct.-Dec., Fiscal Year (FY) 2022
 - Hospital Sterilizers: Oct.-Dec., FY 2023
 - Group 1 Polymers and Resins: April-June, FY 2024
 - Synthetic Organic Chemicals Manufacturing Industry: April-June, FY 2024
 - **Polyether Polyols Production: Oct.-Dec., FY 2024**
 - Chemical Manufacturing Area Sources: Oct.-Dec., FY 2024
- 

EPA and West Virginia Collaboration

- R3 and the West Virginia Department of Environmental Protection (WVDEP) have been working together to refine the NATA screening analysis.
 - Both R3 and WVDEP have collaborated in modeling EtO emissions from Union Carbide, S. Charleston; Union Carbide, Institute; and Covestro, S. Charleston.
 - Current modeling results continue to show levels of concern, although less widespread.
- 
- A decorative graphic consisting of several parallel white lines of varying lengths and orientations, located in the bottom right corner of the slide.

Next Steps

- EPA will continue to collaborate with WVDEP to model risk impacts using more recent 2020 data to determine risk trends.
 - We will support WVDEP's short term sampling to confirm modeled results.
 - We will continue to hold joint meetings to inform the communities of our efforts.
- 

INTRODUCE WVDEP

The background is a gradient of blue, transitioning from a lighter shade at the top to a darker shade at the bottom. On the right side, there are several sets of parallel white lines that create a sense of motion and depth, extending from the top right towards the bottom left.

ADDITIONAL RESOURCES



Additional Resources on EtO

- The following national EPA websites have additional EtO information:
 - <https://www.epa.gov/hazardous-air-pollutants-ethylene-oxide>
 - <https://www.epa.gov/hazardous-air-pollutants-ethylene-oxide/frequent-questions-health-information-about-ethylene-oxide>
- A recording of these presentations and answers to questions not addressed will be posted on:
 - <https://dep.wv.gov/daq/Air%20Toxics/EthyleneOxide/Pages/default.aspx>
- Additional comments can be posted to:
 - DEP.Comments@wv.gov

Contacts on EtO

➤ **Gail Scott**

U.S. EPA

Acting Branch Chief, Communities and Tribes Branch

215-814-2069

Scott.gail@epa.gov

➤ **Alice Chow**

U.S. EPA

Branch Chief, Air Quality Analysis Branch

215-814-2144

Chow.alice@epa.gov

THANK YOU

The background features a blue-to-teal gradient. In the bottom right corner, there are several sets of parallel white lines slanted upwards from left to right, creating a dynamic, modern feel.

OTHER FEDERAL AGENCIES

➤ Centers for Disease Control

- The Agency for Toxic Substances and Disease Registry (ATSDR) provides scientific and health effects information on EtO.

<https://www.atsdr.cdc.gov/substances/toxsubstance.asp?toxid=133>.

- The National Institute for Occupational Safety and Health (NIOSH) is a research agency focused on assuring safe and healthful working conditions.

<https://www.cdc.gov/niosh/topics/ethyleneoxide/default.html>

➤ The Food and Drug Administration (FDA)

- FDA reviews the sterility information for most sterile medical devices before they are on the market. Learn more at <https://www.fda.gov/medical-devices/general-hospital-devices-and-supplies/ethylene-oxide-sterilization-medical-devices#how>

➤ The Occupational Safety and Health Administration (OSHA)

- OSHA sets workplace standards for EtO exposure and provides other resources for employers. See <https://www.osha.gov/ethylene-oxide>; a fact sheet is available at https://www.osha.gov/OshDoc/data_General_Facts/ethylene-oxide-factsheet.pdf

U.S. EPA and WVDEP Community Meeting:

Ethylene Oxide in the Institute and South Charleston Areas

September 23, 2021 via Zoom



Introduction

WVDEP Deputy Cabinet Secretary
Scott Mandirola



Introduction

WVDEP Division of Air Quality
Mike Egnor, Air Toxics Coordinator



What has WVDEP done?

- August 2018 – U.S. EPA publicly released the National Air Toxics Assessment (NATA)
- NATA identified four census tracts in the Kanawha Valley for further investigation



What has WVDEP done?

- WVDEP requested the state Department of Health and Human Resources (DHHR) to review EtO associated cancer rates in the Kanawha Valley
 - DHHR compared Kanawha County vs. West Virginia using the WV Cancer Registry
 - No elevated levels of breast, lymphoma, or leukemia cancers found for Kanawha County as a whole
 - Kanawha County is not significantly higher than other counties in the state
- DHHR is currently reviewing cancer rates on a more localized level



What has WVDEP done?

- 2019: Requested the most recent and accurate emissions data and onsite weather data
- Visited the Institute and South Charleston facilities
- Updated the model with the more accurate emissions and weather data
 - The locations and level of risk changed as a result



What has WVDEP done?

- December 2019: Issued press release identifying the elevated risk factor of ethylene oxide
- Jan 2020: Formally requested U.S. EPA to prioritize the review of the federal regulation to which the facilities are subject




Facilities in the Kanawha Valley that emit EtO


- Institute
 - Union Carbide Corporation
 - Specialty Products US, LLC
- South Charleston
 - Union Carbide Corporation
 - Covestro LLC




Total Ethylene Oxide Emissions in the Kanawha Valley




South Charleston, WV Ethylene Oxide Risk
EPA HEM 2014 Data
Union Carbide Corporation and Covestro



South Charleston, WV Ethylene Oxide Risk
EPA/DAQ HEM 2017/2019 Data
Union Carbide Corporation and Covestro




Institute, WV Ethylene Oxide Risk
EPA HEM 2014 Data
Union Carbide Corporation



Ethylene Oxide Risk in a million

- 0 - 20
- 20 - 100
- > 100
- ★ Maximum

Institute, WV Ethylene Oxide Risk
EPA/DAQ HEM 2017/2019 Data
Union Carbide Corporation



Ethylene Oxide Risk in a million

- 0 - 20
- 20 - 100
- > 100
- ★ Maximum

0 0.5 1 2 Miles



Next Steps

- Four (4) sets of short-term monitoring in both the South Charleston and Institute areas
- Compare air monitoring data with modeling results
- Model actual emissions to compare with air monitoring data



Summary

- WVDEP has been working with U.S. EPA, the facilities, and DHHR to accurately identify the risks
- Questions remain regarding the revised U.S. EPA risk factor for EtO
- Questions remain regarding the background levels of EtO
- WVDEP is committed to continuing working with U.S. EPA, the facilities, and DHHR to address the associated risks
- WVDEP is committed to continued dialogue with the community and holding additional meetings as new information becomes available



Additional Resources

- The WVDEP has a webpage dedicated to EtO:
<https://dep.wv.gov/daq/Air%20Toxics/EthyleneOxide/Pages/default.aspx>
- All new information, as well as the recording from tonight's meeting, will be added as soon as it becomes available
- Additional questions for the WVDEP can be submitted via email to
DEP.Comments@wv.gov
- Media inquiries should be directed to Terry Fletcher, WVDEP Acting Communications Director, at Terry.A.Fletcher@wv.gov

