

WETZEL CHRONICLE

JUL 23 2015

New Martinsville, WV July 22, 2015

State of West Virginia, County of Wetzel:

Personally appeared before the undersigned, a Notary Public,

Brian Clutter who, being duly sworn,

states that he is the manager of the Wetzel Chronicle, a weekly newspaper of general circulation, published at New Martinsville, County of Wetzel, State of West Virginia, and that a copy of the notice attached hereto was published for..... successive

weeks in the Wetzel Chronicle, beginning on the 22 day

of July, 2015 and ending on the 22 day

of July, 2015.

Brian Clutter
Manager, Wetzel Chronicle


Subscribed and sworn to before me, a Notary Public of said

County, on this 22 day of July, 2015.

Diann S. Wright Notary Public

My commission expires on the 4th day of January, 2016.

Printers Fee.....



AIR QUALITY PERMIT NOTICE

Notice of Intent to Approve

On June 11, 2015, Columbia Gas Transmission LLC applied to the WV Department of Environmental Protection, Division of Air Quality (DAQ) for a permit to modify a natural gas compressor facility located on State Route 20, Smithfield, Wetzel County, WV at latitude 39 480714 and longitude -80 537742. A preliminary evaluation has determined that all State and Federal air quality requirements will be met by the proposed facility. The DAQ is providing notice to the public of its preliminary determination to issue the permit as R13-2064G.

The following increase in potential emissions will be authorized by this permit action: Particulate Matter less than 10 microns, 1.33 tons per year (TPY); Carbon Monoxide, 32.09 TPY; Nitrogen Oxides, 18.30 TPY; Sulfur Dioxide, 0.14 TPY; Volatile Organic Compounds, 3.74 TPY; Carbon Dioxide Equivalents, 25,134 TPY; Total Hazardous Air Pollutants, 9.62 TPY.

Written comments or requests for a public meeting must be received by the DAQ before 5:00 p.m. on Friday, August 21, 2015. A public meeting may be held if the Director of the DAQ determines that significant public interest has been expressed, in writing, or when the Director deems it appropriate.

The purpose of the DAQ's permitting process is to make a preliminary determination if the proposed modification will meet all state and federal air quality requirements. The purpose of the public review process is to accept public comments on air quality issues relevant to this determination. Only written comments received at the address noted below within the specified time frame, or comments presented orally at a scheduled public meeting, will be considered prior to final action on the permit. All such comments will become part of the public record.

Jerry Williams, P.E.
WV Department of Environmental Protection
Division of Air Quality
601 57th Street, SE
Charleston, WV 25304
Telephone: 304/926-0499, ext 1223
FAX: 304/926-0478

Additional information, including copies of the draft permit, application and all other supporting materials relevant to the permit decision may be obtained by contacting the engineer listed above. The draft permit and engineering evaluation can be downloaded at

www.dep.wv.gov/daq/Pages/NSRPermitsforReview.aspx
WC-7-22 12584

ID # 103-00010
Reg R13-2064G
Company COLUMBIA GAS
Initials W

NON-CONFIDENTIAL

Williams, Jerry

From: Adkins, Sandra K
Sent: Friday, July 17, 2015 4:02 PM
To: wentworth.paul@epa.gov; bradley.megan@epa.gov; gfyola@nisource.com
Cc: Durham, William F; McKeone, Beverly D; McCumbers, Carrie; Hammonds, Stephanie E; Taylor, Danielle R; Williams, Jerry; jamesalexander@nisource.com
Subject: WV Draft Permit R13-2064G for Columbia Gas Transmission, LLC, Smithfield Station
Attachments: 2064G.doc; Eval2064G.doc; notice.pdf

Please find attached the Draft Permit R13-2064G, Engineering Evaluation, and Public Notice for Columbia Gas Transmission, LLC's Smithfield Compressor Station, located in Wetzel County.

The notice will be published in the *Wetzel Chronicle* on Wednesday, July 22, 2015, and the thirty day public comment period will end on Friday, August 21, 2015.

Should you have any questions or comments, please contact the permit writer, Jerry Williams, at 304-926-0499 x1223.

ID # 103-00010
Reg R13-2064G
Company COLUMBIA GAS
Facility SMITHFIELD Initials J

Williams, Jerry

From: Adkins, Sandra K
Sent: Friday, July 17, 2015 4:02 PM
To: Wheeler, Cathy L
Cc: Williams, Jerry
Subject: DAQ Public Notice

Please see below the Public Notice for Draft Permit R13-2064G for Columbia Gas Transmission, LLC's Smithfield Compressor Station located in Wetzel County.

The notice will be published in the *Wetzel Chronicle* on Wednesday, July 22, 2015, and the thirty day public comment period will end on Friday, August 21, 2015.

AIR QUALITY PERMIT NOTICE

Notice of Intent to Approve

On June 11, 2015, Columbia Gas Transmission LLC applied to the WV Department of Environmental Protection, Division of Air Quality (DAQ) for a permit to modify a natural gas compressor facility located on State Route 20, Smithfield, Wetzel County, WV at latitude 39.480714 and longitude -80.537742. A preliminary evaluation has determined that all State and Federal air quality requirements will be met by the proposed facility. The DAQ is providing notice to the public of its preliminary determination to issue the permit as R13-2064G.

The following increase in potential emissions will be authorized by this permit action: Particulate Matter less than 10 microns, 1.33 tons per year (TPY); Carbon Monoxide, 32.09 TPY; Nitrogen Oxides, 18.30 TPY; Sulfur Dioxide, 0.14 TPY; Volatile Organic Compounds, 3.74 TPY; Carbon Dioxide Equivalents, 25,134 TPY; Total Hazardous Air Pollutants, 9.62 TPY.

Written comments or requests for a public meeting must be received by the DAQ before 5:00 p.m. on Friday, August 21, 2015. A public meeting may be held if the Director of the DAQ determines that significant public interest has been expressed, in writing, or when the Director deems it appropriate.

The purpose of the DAQ's permitting process is to make a preliminary determination if the proposed modification will meet all state and federal air quality requirements. The purpose of the public review process is to accept public comments on air quality issues relevant to this determination. Only written comments received at the address noted below within the specified time frame, or comments presented orally at a scheduled public meeting, will be considered prior to final action on the permit. All such comments will become part of the public record.

Jerry Williams, P.E.

WV Department of Environmental Protection

Division of Air Quality

601 57th Street, SE

Charleston, WV 25304

Telephone: 304/926-0499, ext. 1223

FAX: 304/926-0478

Additional information, including copies of the draft permit, application and all other supporting materials relevant to the permit decision may be obtained by contacting the engineer listed above. The draft permit and engineering evaluation can be downloaded at:

www.dep.wv.gov/daq/Pages/NSRPermitsforReview.aspx

ID # 103-00010
Reg R13-2064G
Company COLUMBIA GAS
Facility SMITHFIELD Initials J

NON-CONFIDENTIAL

Williams, Jerry

From: Adkins, Sandra K
Sent: Friday, July 17, 2015 9:18 AM
To: dwright@wetzelschronicle.com
Cc: Williams, Jerry
Subject: Publication of Class I Legal Ad for the WV Division of Air Quality

Please publish the information below as a Class I legal advertisement (one time only) in the Wednesday, July 22, 2015, issue of the *Wetzel Chronicle*. Please let me know that this has been received and will be published as requested. Thank you.

Send the invoice for payment and affidavit of publication to:

Sandie Adkins

**WV Department of Environmental Protection
DIVISION OF AIR QUALITY**

601- 57th Street

Charleston, WV 25304

Thank you for your assistance. Should you have any questions, please contact me at 304-926-0499 x1250.

AIR QUALITY PERMIT NOTICE

Notice of Intent to Approve

On June 11, 2015, Columbia Gas Transmission LLC applied to the WV Department of Environmental Protection, Division of Air Quality (DAQ) for a permit to modify a natural gas compressor facility located on State Route 20, Smithfield, Wetzel County, WV at latitude 39.480714 and longitude -80.537742. A preliminary evaluation has determined that all State and Federal air quality requirements will be met by the proposed facility. The DAQ is providing notice to the public of its preliminary determination to issue the permit as R13-2064G.

The following increase in potential emissions will be authorized by this permit action: Particulate Matter less than 10 microns, 1.33 tons per year (TPY); Carbon Monoxide, 32.09 TPY; Nitrogen Oxides, 18.30 TPY; Sulfur Dioxide, 0.14 TPY; Volatile Organic Compounds, 3.74 TPY; Carbon Dioxide Equivalents, 25,134 TPY; Total Hazardous Air Pollutants, 9.62 TPY.

Written comments or requests for a public meeting must be received by the DAQ before 5:00 p.m. on Friday, August 21, 2015. A public meeting may be held if the Director of the DAQ determines that significant public interest has been expressed, in writing, or when the Director deems it appropriate.

The purpose of the DAQ's permitting process is to make a preliminary determination if the proposed modification will meet all state and federal air quality requirements. The purpose of the public review process is to accept public comments on air quality issues relevant to this determination. Only written comments received at the address noted below within the specified time frame, or comments presented orally at a scheduled public meeting, will be considered prior to final action on the permit. All such comments will become part of the public record.

Jerry Williams, P.E.

WV Department of Environmental Protection
Division of Air Quality
601 57th Street, SE
Charleston, WV 25304

ID # 107-00010
Reg R13-2064G
Company COLUMBIA GAS
Facility SMITHFIELD Int JW

NON-CONFIDENTIAL

Engineer	Jerry Williams, P.E.
Email Address	jerry.williams@wv.gov
Company Name	Columbia Gas Transmission, LLC
Company ID	103-00010
Facility Name	Smithfield Compressor Station
Permit Number	R13-2064G
County	Wetzel
Newspaper	<i>Wetzel Chronicle</i>
Company Email and "Attention To:"	Glenn Fyola gfyola@nisource.com
Environmental Contact Email Address	James Alexander jamesalexander@nisource.com
Regional Office (if applicable)	NA
New or Modified Source?	modified
Construction, Modification, or Relocation?	modification
Type of Facility	natural gas compressor station
"Located" or "To Be Located"?	located
Place where I can find electronic versions of your notice, engineering evaluation, and draft permit	Q:\AIR_QUALITY\J_Williams\2064G

Wed July 22 publish
 30 days Fri Aug 21
 dwright@wetzelchronicle.com 2015

Engineer	Jerry Williams, P.E.
Email Address	jerry.williams@wv.gov
Company Name	Columbia Gas Transmission, LLC
Company ID	103-00010
Facility Name	Smithfield Compressor Station
Permit Number	R13-2064G
County	Wetzel
Newspaper	<i>Wetzel Chronicle</i>
Company Email and "Attention To:"	Glenn Fyola gfyola@nisource.com
Environmental Contact Email Address	James Alexander jamesalexander@nisource.com
Regional Office (if applicable)	NA
New or Modified Source?	modified
Construction, Modification, or Relocation?	modification
Type of Facility	natural gas compressor station
"Located" or "To Be Located"?	located
Place where I can find electronic versions of your notice, engineering evaluation, and draft permit	Q:\AIR_QUALITY\J_Willi\2064G

ID # 103-00010
 Reg R13-2064G
 Company Columbia Gas
 Facility SMITHFIELD Initials JW

NON-CONFIDENTIAL

AIR QUALITY PERMIT NOTICE

Notice of Intent to Approve

On June 11, 2015, Columbia Gas Transmission LLC applied to the WV Department of Environmental Protection, Division of Air Quality (DAQ) for a permit to modify a natural gas compressor facility located on State Route 20, Smithfield, Wetzel County, WV at latitude 39.480714 and longitude - 80.537742. A preliminary evaluation has determined that all State and Federal air quality requirements will be met by the proposed facility. The DAQ is providing notice to the public of its preliminary determination to issue the permit as R13-2064G.

The following increase in potential emissions will be authorized by this permit action: Particulate Matter less than 10 microns, 1.33 tons per year (TPY); Carbon Monoxide, 32.09 TPY; Nitrogen Oxides, 18.30 TPY; Sulfur Dioxide, 0.14 TPY; Volatile Organic Compounds, 3.74 TPY; Carbon Dioxide Equivalents, 25,134 TPY; Total Hazardous Air Pollutants, 9.62 TPY.

Written comments or requests for a public meeting must be received by the DAQ before 5:00 p.m. on (Day of Week, Month, Day, Year). A public meeting may be held if the Director of the DAQ determines that significant public interest has been expressed, in writing, or when the Director deems it appropriate.

The purpose of the DAQ's permitting process is to make a preliminary determination if the proposed modification will meet all state and federal air quality requirements. The purpose of the public review process is to accept public comments on air quality issues relevant to this determination. Only written comments received at the address noted below within the specified time frame, or comments presented orally at a scheduled public meeting, will be considered prior to final action on the permit. All such comments will become part of the public record.

Jerry Williams, P.E.
WV Department of Environmental Protection
Division of Air Quality
601 57th Street, SE
Charleston, WV 25304
Telephone: 304/926-0499, ext. 1223
FAX: 304/926-0478

Additional information, including copies of the draft permit, application and all other supporting materials relevant to the permit decision may be obtained by contacting the engineer listed above. The draft permit and engineering evaluation can be downloaded at:

www.dep.wv.gov/daq/Pages/NSRPermitsforReview.aspx

ID # 103-cw010
Reg R13-2064G
Company COLUMBIA GAS
Facility SMITHFIELD Initials lu

NON-CONFIDENTIAL



west virginia department of environmental protection

Division of Air Quality
601 57th Street SE
Charleston, WV 25304
Phone (304) 926-0475 • FAX: (304) 926-0479

Earl Ray Tomblin, Governor
Randy C. Huffman, Cabinet Secretary
www.dep.wv.gov

July 7, 2015

Columbia Gas Transmission, LLC
Glenn Fyola
801 E. 86th Avenue
Merrillville, IN 46410

RE: Application Status: Complete
Columbia Gas Transmission, LLC
Smithfield Compressor Station
Permit Application R13-2064G
Plant ID No. 103-00010

Dear Mr. Fyola:

Your application for a modification permit for a natural gas compressor station was received by this Division on June 11, 2015 and assigned to the writer for review. Upon review of said application, it was determined that the application was incomplete as submitted and additional information was requested. The requested information was received on July 6, 2015, therefore, the statutory review period commenced on July 6, 2015.

Since this application involves unique or technically complex issues, the agency believes it may require the full 90-day time period to make a final permit determination.

This determination of completeness shall not relieve the permit applicant of the requirement to subsequently submit, in a timely manner, any additional or corrected information deemed necessary for a final permit determination.

Should you have any questions, please contact me at (304) 926-0499 ext. 1223.

Sincerely,

Jerry Williams, P.E.
Engineer

c: James Alexander

NOT CONFIDENTIAL

Williams, Jerry

From: jamesalexander@nisource.com
Sent: Monday, July 06, 2015 12:11 PM
To: Williams, Jerry
Cc: Roger.Hessel@aecom.com; Jennifer.Ehrhardt@aecom.com
Subject: Re: Smithfield Compressor Station
Attachments: Smithfield Fuel Comp.pdf

Hi Jerry

In answer to the NOD on Smithfield:

1. The Turbine is indeed a Solar Centaur 40
2. The fuel composition is attached. Basis is GC readings from dominant fuel flowing into the station

thanks

Jim

Jim Alexander
NiSource ES&S
219.647.5924

From: "Williams, Jerry" <Jerry.Williams@wv.gov>
To: "jamesalexander@nisource.com" <jamesalexander@nisource.com>,
Date: 06/30/2015 09:36 AM
Subject: Smithfield Compressor Station

Mr. Alexander,

I left a phone message for you on June 25 in hopes of discussing incomplete permit application items in regards to the Smithfield Compressor Station (R13-2064G). Please find the attached application incomplete letter that was mailed today.

Thanks,
Jerry

Jerry Williams, P.E.
Engineer
WVDEP – Division of Air Quality
601 57th Street, SE
Charleston, WV 25304
(304) 926-0499 ext. 1223
jerry.williams@wv.gov

ID # 103-00010
Reg R13-2064G
Company COLUMBIA GAS
Facility SMITHFIELD Initials JA

NON-CONFIDENTIAL

Detailed Composition & Other Calculated Values

MOLAR ANALYSIS OF FUEL

COMPONENT	— FEED —	— LIQUID —	— VAPOR —
	% OF TOTAL	% OF TOT	% OF L % OF TOT % OF V
METHANE	90.6930	0.0000	0.0000 90.6930 90.6930
ETHANE	3.5170	0.0000	0.0000 3.5170 3.5170
PROPANE	0.9870	0.0000	0.0000 0.9870 0.9870
I-BUTANE	0.4040	0.0000	0.0000 0.4040 0.4040
N-BUTANE	0.4030	0.0000	0.0000 0.4030 0.4030
NITROGEN	2.5200	0.0000	0.0000 2.5200 2.5200
I-PENTANE	0.1490	0.0000	0.0000 0.1490 0.1490
N-PENTANE	0.1490	0.0000	0.0000 0.1490 0.1490
NEO-PENTANE	0.0980	0.0000	0.0000 0.0980 0.0980
CARBON DIOXIDE	1.0000	0.0000	0.0000 1.0000 1.0000
N-HEXANE	0.0800	0.0000	0.0000 0.0800 0.0800
WATER	0.0000	0.0000	0.0000 0.0000 0.0000
TOTAL	100.00	0.0000	100.00 100.0000 100.00
H, BTU/MOLE	5511.3	0.0	5511.3

WEIGHT ANALYSIS OF FUEL

COMPONENT	— FEED —	— LIQUID —	— VAPOR —
	% OF TOTAL	% OF TOT	% OF L % OF TOT % OF V
METHANE	80.7766	0.0000	0.0000 80.7766 80.7766
ETHANE	5.8713	0.0000	0.0000 5.8713 5.8713
PROPANE	2.4163	0.0000	0.0000 2.4163 2.4163
I-BUTANE	1.3037	0.0000	0.0000 1.3037 1.3037
N-BUTANE	1.3004	0.0000	0.0000 1.3004 1.3004
NITROGEN	3.9195	0.0000	0.0000 3.9195 3.9195
I-PENTANE	0.5968	0.0000	0.0000 0.5968 0.5968
N-PENTANE	0.5968	0.0000	0.0000 0.5968 0.5968
NEO-PENTANE	0.3925	0.0000	0.0000 0.3925 0.3925
CARBON DIOXIDE	2.4433	0.0000	0.0000 2.4433 2.4433
N-HEXANE	0.3827	0.0000	0.0000 0.3827 0.3827
WATER	0.0000	0.0000	0.0000 0.0000 0.0000
TOTAL	100.00	0.0000	100.00 100.0000 100.00

MOLEC. WT. 18.013 LHV BTU/LB 19945.1 HHV BTU/LB 22096.4
 SPEC. GR. 0.62189 LHV BTU/SCF 946.7 HHV BTU/SCF 1048.8
 Z 0.99303
 K 1.2530 PCP, PSIA, 672.4 PCT, DEG.R 361.5
 WOB INDEX 1200.4 EQ LHV, BTU/LB 19590.9 EQ LHV, BTU/SCF 929.9

FUEL ANALYSIS BY WEIGHT EXHAUST ANALYSIS, MOLARWEIGHT

% COMBUSTIBLE C 70.927 CO2/FUELFLOW 1.0738 2.6235
 % COMBUSTIBLE H 22.704 H2O/FUELFLOW 2.0286 2.0290
 % INERTS 6.363 SO2/FUELFLOW 0.00000 0.00000

STOICHIOMETRIC O2 DEFICIENCY
 AIR/FUEL RATIO, 15.9527 /FUELFLOW 2.0780 3.69173

DEG F CP K
 50. 0.4909 1.2986
 300. 0.5947 1.2294



west virginia department of environmental protection

Division of Air Quality
601 57th Street SE
Charleston, WV 25304
Phone 304/926-0475

Earl Ray Tomblin, Governor
Randy C. Huffman, Cabinet Secretary
www.dep.wv.gov

June 30, 2015

Columbia Gas Transmission, LLC
Glenn Fyola
801 E. 86th Avenue
Merrillville, IN 46410

RE: Application Status: Incomplete
Columbia Gas Transmission, LLC
Smithfield Compressor Station
Permit Application R13-2064G
Plant ID No. 103-00010

Dear Mr. Fyola:

Your application for a modification permit for a natural gas compressor station was received by this Division on June 11, 2015 and assigned to the writer for review. Upon initial review of said application, it has been determined that the application as submitted is incomplete based on the following items:

1. Permit Application, Page D-6 refers to the turbine as a Titan turbine, whereas, the remainder of the permit application refers to a Centaur turbine. Please clarify.
2. Please provide the fuel gas composition to justify the values used on the Centaur 40 compressor set on pages N23-25 of the permit application.

Please address the above deficiencies in writing within fifteen (15) days of the receipt of this letter. Application review will not commence until the application has been deemed to be technically complete. Failure to respond to this request in a timely manner may result in the denial of the application. Should you have any questions, please contact me at (304) 926-0499 ext. 1223.

Sincerely,

Jerry Williams, P.E.
Engineer

c: James Alexander

ID # 103-00010
Reg R13-2064G
Company COLUMBIA GAS
Facility SMITHFIELD Initials JK

NON-CONFIDENTIAL




AECOM
125 Rock Road
Horsham, PA 19044

215.315.4150 tel
215.315.4151 fax

June 23, 2015

Jerry Williams
West Virginia DEP – Division of Air Quality
601 57th Street SE
Charleston, WV 25304



**RE: Construction/Modification Application (45CSR13) and
Significant Modification Application (Revision to Title V)
Columbia Gas Transmission, LLC
Smithfield Compressor Station (Facility ID#103-00010)**

Dear Mr. Williams:

On behalf of Columbia Gas Transmission, LLC, AECOM hereby submits the Affidavit of Publication for Attachment P of the permit application submitted on June 11, 2015 for the Smithfield Compressor Station, located in Wetzel County, West Virginia. The legal advertisement was published on June 17, 2015.


Should you have any questions regarding this application, please contact Jim Alexander, NiSource Air Permitting, at 219-647-5924.

Sincerely,

Jennifer Ehrhardt
Air Quality Engineer II
jennifer.ehrhardt@aecom.com

NON-CONFIDENTIAL

ID # 103-00010
Reg R13-20646
Company COLUMBIA GAS
Facility SMITHFIELD Initials en



WETZEL CHRONICLE

WV June 17, 2015

ia, County of Wetzel:

Legal Notices

AIR QUALITY PERMIT NOTICE Notice of Application

Notice is given that Columbia Gas Transmission LLC has applied to the West Virginia Department of Environmental Protection, Division of Air Quality, for a Permit Modification for its existing natural gas compression station located on State Route 20, Smithfield, In Wetzel County, West Virginia. The latitude and longitude coordinates are: 39° 28' 49.82" N and 80° 32' 17.26" W.

The applicant estimates the increases in, if modification application is approved, potential to discharge the following Regulated Air Pollutants will be: Carbon Monoxide by 32.09 tons per year, Nitrogen Oxides by 18.30 tons per year, PM10 and PM2.5 by 1.33 tons per year, Sulfur Dioxide by 0.14 tons per year, Volatile Organic Compounds (VOC) by 3.54 tons per year, Carbon Dioxide Equivalents (CO₂e) by 25,004 tons per year, and Formaldehyde by 0.14 tons per year.

Startup of operation is planned to begin on or about the 1st day of October, 2016. Written comments will be received by the West Virginia Department of Environmental Protection, Division of Air Quality, 601 57th Street, SE, Charleston, WV 25304, for at least 30 calendar days from the date of publication of this notice.

Any questions regarding this permit application should be directed to the DAQ at (304) 926-0499, extension 1227, during normal business hours.

Dated this the 5th day of June, 2015.

By:
Columbia Gas Transmission LLC
Glenn Fyola
Manager of Operations
950 Manifold Road
Washington, PA 15301
WC 6-17 12544

ed before the undersigned, a Notary Public,

an Clutter who, being duly sworn,

manager of the Wetzel Chronicle, a weekly

al circulation, published at New Martinsville,

ate of West Virginia, and that a copy of the

to was published for.....1.....successive

Chronicle, beginning on the 17 day

....., 2015 and ending on the 17 day

....., 2015.


.....anager, Wetzel Chronicle

Subscribed and sworn to before me, a Notary Public of said
County, on this 17 day of June, 2015.

Diann S. Wright Notary Public

My commission expires on the 4th day of January, 2016.

Printers Fee.....



Williams, Jerry

From: Adkins, Sandra K
Sent: Friday, June 12, 2015 4:14 PM
To: gfyola@nsource.com; jamesalexander@nsource.com
Cc: McKeone, Beverly D; Williams, Jerry
Subject: WV DAQ Permit Application Status for Columbia Gas Transmission LLC; Smithfield

**RE: Application Status
Columbia Gas Transmission LLC
Smithfield Facility
Plant ID No. 103-00010
Application No. R13-2064G**

Mr. Fyola,

Your application for a modification permit for the Smithfield facility was received by this Division on June 11, 2015, and was assigned to Jerry Williams. The following item was not included in the initial application submittal:

Original affidavit for Class I legal advertisement not submitted.

This item is necessary for the assigned permit writer to continue the 30-day completeness review.

Within 30 days, you should receive a letter from Jerry Williams stating the status of the permit application and, if complete, given an estimated time frame for the agency's final action on the permit.

Any determination of completeness shall not relieve the permit applicant of the requirement to subsequently submit, in a timely manner, any additional or corrected information deemed necessary for a final permit decision.

Should you have any questions, please contact the assigned engineer, Jerry Williams, at 304-926-0499, extension 1223.

ID # 103-00010
Reg R13-2064G
Company COLUMBIA GAS
Facility SMITHFIELD Initials AW

NON-CONFIDENTIAL

Title
Affidavit

103-00010
R13-20646

modification
Jeny

45CSR13 Administrative Update, Construction, Modification, Relocation, Temporary Permit or General Permit Registration Incomplete Application

A complete application is demonstrated when all of the information required below is properly prepared, completed and attached. The items listed below are required information which must be submitted with a 45CSR13 permit application. Any submittal will be considered incomplete if the required information is not included. The applicant must submit a complete application in order to receive a 45CSR13 permit.

- ☒ Class I legal advertisement not published in a newspaper certified to accept legal advertisements and original affidavit submitted.
- ☐ Application fee AND/OR additional application fees not included:
 - ☐ \$250 Class I General Permit
 - ☐ \$300 Class II Administrative Update
 - ☐ \$1,000 Construction, Modification, Relocation or Temporary Permit
 - ☐ \$500 Class II General Permit
 - ☐ \$1,000 NSPS
 - ☐ \$2,500 NESHAP
 - ☐ \$2,500 45CSR27 Pollutant
 - ☐ \$5,000 Major Modification
 - ☐ \$10,000 Major Construction
- ☐ Original and two (2) copies of the application not submitted.
- ☐ File organization – application pages are not numbered or in correct order, application is not bound in some way, etc.
- ☐ Confidential Business Information is not properly identified.
- ☐ General application forms not completed and signed by a responsible official.
- ☐ Authority of Corporation form not included – required if application is signed by someone other than a responsible official.
- ☐ Applicant is not registered with the West Virginia Secretary of State's Office.
- ☐ Copy of current Business Registration Certificate not included.
- ☐ Process description, including equipment and emission point identification numbers, not submitted.
- ☐ Process flow diagram, including equipment and emission point identification numbers, not submitted.
- ☐ Plot plan, including equipment and emission point identification numbers, not submitted.
- ☐ Applicable technical forms not completed and submitted:
 - ☐ Emission Point Data Summary Sheets
 - ☐ Air Pollution Control Device Sheets
 - ☐ Emission Unit Data Sheets
 - ☐ Equipment List Form
- ☐ Emission calculations not included – emission factors, references, source identification numbers, etc.
- ☐ Electronic submittal diskette not included.