

west virginia department of environmental protection

Office of Oil and Gas 601 57<sup>th</sup> Street, S.E. Charleston, WV 25304 (304) 926-0450 fax: (304) 926-0452

Austin Caperton, Cabinet Secretary www.dep.wv.gov

## Tuesday, August 21, 2018 WELL WORK PLUGGING PERMIT Vertical Plugging

HG ENERGY, LLC 5260 DUPONT ROAD

PARKERSBURG, WV 26101

### Re: Permit approval for W M GOODE 7 47-043-02241-00-00

This well work permit is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to any additional specific conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas Inspector.

Upon completion of the plugging well work, the above named operator will reclaim the site according to the provisions of WV Code 22-6-30. Please be advised that form WR-38, Affidavit of Plugging and Filling Well, is to be submitted to this office within 90 days of completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

Per 35 CSR 4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0450.

James A. Martin Chief

Mant.

Operator's Well Number: W M GOODE 7 Farm Name: GOODE, W. M. U.S. WELL NUMBER: 47-043-02241-00-00 Vertical Plugging Date Issued: 8/21/2018

Promoting a healthy environment.

## **PERMIT CONDITIONS**

West Virginia Code §22-6-11 allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. <u>Failure to adhere to the specified permit conditions may result in enforcement action.</u>

## CONDITIONS

1. All pits must be lined with a minimum of 20 mil thickness synthetic liner.

T

- 2. In the event of an accident or explosion causing loss of life or serious personal injury in or about the well or while working on the well, the well operator or its contractor shall give notice, stating the particulars of the accident or explosion, to the oil and gas inspector and the Chief within twenty-four (24) hours.
- 3. Well work activities shall not constitute a hazard to the safety of persons.

## 43-02241P

WW-4E	3
Rev.	2/01

• .

WW-4 Rev.	B 2/01	1) Date July 11 , 20 18 2) Operator's
		Well No. WM Goode 7 3)API Well No. 47-043 -02241
	DEPARTMENT OF ENVI	EST VIRGINIA RONMENTAL PROTECTION OIL AND GAS
	APPLICATION FOR A PER	MIT TO PLUG AND ABANDON
4)	Well Type: Oil <u>×</u> / Gas <u>×</u> / Liquid	d injection / Waste disposal /
- /		derground storage) Deep/ Shallow ×
5)	Location: Elevation 1055	Watershed Trace Fork
	District Duval	County Lincoln Quadrangle Garrett's Bend 7.5'
6)	Well Operator HG Energy, LLC	7) Designated Agent Diane White
- •	Address 5260 Dupont Road	Address 5260 Dupont Road
	Parkersburg, WV 26101	Parkersburg, WV 26101
8)	Name Jeffery L. Smith	9) Plugging Contractor NameTo Be Determined Upon Approval of Permit
	Address 5369 Big Tyler Road	Address
	Cross Lanes, WV 25313	
		•

Work Order: The work order for the manner of plugging this well is as follows: 10)

\*\* See Attached \*\*

RECEIVED Office of Oil and Gas

JUL 23 2018

WV Department of Environmental Protection

••

Notification must be given to the district oil and gas inspector 24 hours before permitted work can commence.

Work order approved by inspector

7-17-18 Date

Form WW-4(B)					1) 1	Date: Ju	uly 9, 201	8		43-022
Rev. 2/01					•	Operator's Well		<u> </u>		
						WM Goode # 7				_
					3)	API Well No:	47			
							State	County	Permit	L
			STATE O	F WEST VIRG	NIA					
		DIVIS	ION OF ENVIRO			ION				
		APPLICAT	OFFICE O	F OIL AND GAS		BANDON				
		101210111			570.070	Draidon				
4) WELL TYPE:		A Oil	X Gas	<u>X</u> Liquid Inj	ection		Disposal			
		B (If "Gas",	Production	Undergro	und Storag	ee	ep	Shallow	<u>x</u> )	
5) LOCATION:		Elevation:	1055'	Wate	rshed:	Trace Fork				
-,		District:	Duval	Cour	_	Lincoln	Quadr	angle: Garrett	s Bend 7.5	n
<ol> <li>WELL OPERAT Address</li> </ol>	DR:		ergy LLC upont Road		7) DESI	GNATED AGE Addres		iane White 260 Dupont R	oad	_
Address			burg, WV 26101			Audic		arkersburg, W		_
•	ECTOR TO BE NOT				•	GING CONTR				
Name		Jeffery L. Smith			Name		rmined U	pon Approval	of Permit	_
Address		5369 Big Tyler Ro Cross Lanes, WV 2			Addre		·····			_
		Closs Lancs, WY 2	23313							_
<del></del>										
TD - 2,561'										•
-	11 5 3/16" casing approx	ĸ 1850'	(JS							RECEIVED
Plug #1 - 2530' - 2430 Free-point, cut, and pu Plug #2 - Approx 195 Freepoint, cut and pull	ll 5 3/16" casing approx )' - 1800'	k 1850'	32							Office of Oil and
Plug #1 - 2530' - 2430 Free-point, cut, and pu Plug #2 - Approx 195	ll 5 3/16" casing approx )' - 1800'	ĸ 1850'	65						·	RECEIVED Office of Oil and O JUL 23 201
Plug #1 - 2530' - 2430 Free-point, cut, and pr Plug #2 - Approx 195 Freepoint, cut and pull Plug #3 - 1100' -1000	ll 5 3/16" casing approx )' - 1800'	ĸ 1850'	62	)						Office of Oil and JUL 23 201
Plug #1 - 2530' - 2430 Free-point, cut, and pt Plug #2 - Approx 195 Freepoint, cut and pull Plug #3 - 1100' -1000' Plug #4 - 415' - 315'	ll 5 3/16" casing approx )' - 1800'	ĸ 1850'	62						·	Office of Oil and
Plug #1 - 2530' - 2430 Free-point, cut, and pt Plug #2 - Approx 195 Freepoint, cut and pull Plug #3 - 1100' -1000' Plug #4 - 415' - 315' Plug #5 - 100' - 0	ll 5 3/16° casing appro: )' - 1800' 6 5/8" 1100' - 1000'	ĸ 1850'	62	Percover sil occ-sit	le ration 10	rasing can not be	1 (SCDUPTON	1. performin for o		Office of Oil and Office of Oil and Office of Oil and Office JUL <b>2 3 201</b> WV Department Environmental Prot
Plug #1 - 2530' - 2430 Free-point, cut, and pt Plug #2 - Approx 195 Freepoint, cut and pull Plug #3 - 1100' -1000' Plug #4 - 415' - 315' Plug #5 - 100' - 0	ll 5 3/16" casing appro: )' - 1800' 6 5/8" 1100' - 1000' 1/2" height numbering	k 1850'	62	Recover all possib Monument - 6° mi						Office of Oil and Office of Oil and Office of Oil and Office JUL <b>2 3 201</b> WV Department Environmental Prot
Plug #1 - 2530' - 2430 Free-point, cut, and pt Plug #2 - Approx 195 Freepoint, cut and pull Plug #3 - 1100' -1000' Plug #4 - 415' - 315' Plug #5 - 100' - 0	ll 5 3/16" casing appro: )' - 1800' 6 5/8" 1100' - 1000' 1/2" height numbering	x 1850'	32	Recover all possib Monument - 6° min						Office of Oil and Office of Oil and Office of Oil and Office JUL <b>2 3 201</b> WV Department Environmental Prot
Plug #1 - 2530' - 2430 Free-point, cut, and pt Plug #2 - Approx 195 Freepoint, cut and pull Plug #3 - 1100' -1000' Plug #4 - 415' - 315' Plug #5 - 100' - 0 Erect Monument with API# Cement Plugs are Class A, I	<ul> <li>II 5 3/16" casing approx</li> <li>r - 1800'</li> <li>6 5/8" 1100' - 1000'</li> <li>6 5/8" 1100' - 1000'</li> <li>1/2" height numbering egular Neat Conent</li> </ul>	ĸ 1850'	(J)							Office of Oil and Office of Oil and Office of Oil and Office JUL <b>2 3 201</b> WV Department Environmental Prot
Plug #1 - 2530' - 2430 Free-point, cut, and pt Plug #2 - Approx 195 Freepoint, cut and pull Plug #3 - 1100' -1000' Plug #4 - 415' - 315' Plug #5 - 100' - 0 Erect Monument with API# Cement Plugs are Class A, I Cement tops will be tagged	<ul> <li>II 5 3/16" casing approx</li> <li>r - 1800'</li> <li>6 5/8" 1100' - 1000'</li> <li>6 5/8" 1100' - 1000'</li> <li>1/2" height numbering egular Neat Conent</li> </ul>	ĸ 1850'	62							Office of Oil and Office of Oil and Office of Oil and Office JUL <b>2 3 201</b> WV Department Environmental Prot
Plug #1 - 2530' - 2430 Free-point, cut, and pt Plug #2 - Approx 195 Freepoint, cut and pull Plug #3 - 1100' -1000' Plug #4 - 415' - 315' Plug #5 - 100' - 0 Erect Monument with API # Cement Plugs are Class A, I Cement tops will be tagged	<ul> <li>II 5 3/16" casing approx</li> <li>r - 1800'</li> <li>6 5/8" 1100' - 1000'</li> <li>6 5/8" 1100' - 1000'</li> <li>1/2" height numbering egular Neat Conent</li> </ul>	x 1850'	OFFICE US	Monument - 6" min						Office of Oil and Office of Oil and Office of Oil and Office JUL <b>2 3 201</b> WV Department Environmental Prot
Plug #1 - 2530' - 2430 Free-point, cut, and pt Plug #2 - Approx 195 Freepoint, cut and pull Plug #3 - 1100' -1000' Plug #4 - 415' - 315' Plug #5 - 100' - 0 Erect Monument with API # Cement Plugs are Class A, I Cement tops will be tagged	<ul> <li>II 5 3/16" casing approx</li> <li>r - 1800'</li> <li>6 5/8" 1100' - 1000'</li> <li>6 5/8" 1100' - 1000'</li> <li>1/2" height numbering egular Neat Conent</li> </ul>	ĸ 1850'	OFFICE US PLUGGING	Monument - 6" min E ONLY						Office of Oil and Office of Oil and Office of Oil and Office JUL <b>2 3 201</b> WV Department Environmental Prot
Plug #1 - 2530' - 2430 Free-point, cut, and pu Plug #2 - Approx 195 Freepoint, cut and pull Plug #3 - 1100' -1000' Plug #4 - 415' - 315' Plug #5 - 100' - 0 Erect Monument with API # Coment Plugs are Class A, I Cement tops will be tagged 6% Gel between all cement	<ul> <li>II 5 3/16" casing approx</li> <li>r - 1800'</li> <li>6 5/8" 1100' - 1000'</li> <li>6 5/8" 1100' - 1000'</li> <li>1/2" height numbering egular Neat Conent</li> </ul>	ĸ 1850'		Monument - 6" min E ONLY					ilug placemer	Office of Oil and Office of Oil and Office of Oil and Office JUL <b>2 3 201</b> WV Department Environmental Prot
Plug #1 - 2530' - 2430 Free-point, cut, and pt Plug #2 - Approx 195 Freepoint, cut and pull Plug #3 - 1100' -1000' Plug #4 - 415' - 315' Plug #5 - 100' - 0 Erect Monument with API# Coment Plugs are Class A, I Coment tops will be tagged 6% Gel between all cement	11 5 3/16" casing appro: )' - 1800' 6 5/8" 1100' - 1000' 1/2" height numbering egular Neat Cement plaga.		PLUGGING	Monument - 6" mi E ONLY PERMIT	nimum diam	eter metal pipe, 34				Office of Oil and Office of Oil and Office of Oil and Office JUL <b>2 3 201</b> WV Department Environmental Prot
Plug #1 - 2530' - 2430 Free-point, cut, and pt Plug #2 - Approx 195 Freepoint, cut and pull Plug #3 - 1100' -1000' Plug #4 - 415' - 315' Plug #5 - 100' - 0 Erect Monument with API # Cenent Plugs are Class A, I Cenent Plugs are Class A, I Cenent rops will be tagged 6% Gel between all cement Permit Number This permit covering the	II 5 3/16" casing approx )' - 1800' 6 5/8" 1100' - 1000' 1/2" height numbering egular Neat Cement slugs.	1 location shown belo	PLUGGING	Monument - 6" min E ONLY PERMIT	nimum diam	eter metal pipe, 34	0" above s		ilug placemer	Office of Oil and Office of Oil and Office of Oil and Office JUL <b>2 3 201</b> WV Department Environmental Prot
Plug #1 - 2530' - 2430 Free-point, cut, and pu Plug #2 - Approx 195 Freepoint, cut and pull Plug #3 - 1100' -1000' Plug #4 - 415' - 315' Plug #5 - 100' - 0 Erect Monument with API # Cement Plugs are Class A, I Cement Plugs are Class A, I Cement tops will be tagged 6% Gel between all cement Permit Number This permit covering the the pertinent legal requir	Il 5 3/16° casing approx )' - 1800' 6 5/8" 1100' - 1000' 1/2" height numbering egular Neat Cement slugs. well operator and the well sments subject to the con-	I location shown belo	PLUGGING w is evidence of permin and on the reverse	Monument - 6" min E ONLY PERMIT	nimum diam	eter metal pipe, 34	0" above s		ilug placemer	Office of Oil and Office of Oil and Office of Oil and Office JUL <b>2 3 201</b> WV Department Environmental Prot
Plug #1 - 2530' - 2430 Free-point, cut, and pt Plug #2 - Approx 195 Freepoint, cut and pul Plug #3 - 1100' -1000' Plug #4 - 415' - 315' Plug #5 - 100' - 0 Erect Monument with API # Cement Plugs are Class A, I Cement Plugs are Class A, I Cement Plugs are Class A, I Cement tops will be tagged 6% Gel between all cement Permit Number This permit covering the the pertinent legal requit District Oil and Gas Insy	<ul> <li>11 5 3/16" casing approx</li> <li>12 1800'</li> <li>6 5/8" 1100' - 1000'</li> <li>1/2" height numbering egular Neat Cement</li> <li>oluga.</li> <li>well operator and the welements subject to the concector 24 hours before act</li> </ul>	I location shown belo itions contained herei ual work has commen	PLUGGING w is evidence of pen in and on the reverse ced.	Monument - 6° min E ONLY PERMIT mission granted to hereof. Notification	nimum diam	eter metal pipe, 34	0" above s		ilug placemer	Office of Oil and Office of Oil and Office of Oil and Office JUL <b>2 3 201</b> WV Department Environmental Prot
Plug #1 - 2530' - 2430 Free-point, cut, and pt Plug #2 - Approx 195 Freepoint, cut and pul Plug #3 - 1100' -1000' Plug #4 - 415' - 315' Plug #5 - 100' - 0 Erect Monument with API # Cement Plugs are Class A, I Cement Plugs are	Il 5 3/16" casing approx y - 1800' 6 5/8" 1100' - 1000' 1/2" height numbering egular Neat Cement pluga. well operator and the well ments subject to the con- ector 24 hours before act: ned work is as described in the converting of the subject in the subject in the con- ector 24 hours before act: ned work is as described in the subject in the subject in the subject in the subject in the con- ector 24 hours before act: ned work is as described in the subject in the	I location shown belo ditions contained herei ual work has comment in the Notice and App	PLUGGING w is evidence of pen in and on the reverse ced.	Monument - 6° min E ONLY PERMIT mission granted to hereof. Notification	nimum diam	eter metal pipe, 34	0" above s		ilug placemer	Office of Oil and Office of Oil and Office of Oil and Office JUL <b>2 3 201</b> WV Department Environmental Prot
Plug #1 - 2530' - 2430 Free-point, cut, and pt Plug #2 - Approx 195 Freepoint, cut and pul Plug #3 - 1100' -1000' Plug #4 - 415' - 315' Plug #5 - 100' - 0 Erect Monument with API # Cement Plugs are Class A, I Cement Plugs are	<ul> <li>11 5 3/16" casing approx</li> <li>12 1800'</li> <li>6 5/8" 1100' - 1000'</li> <li>1/2" height numbering egular Neat Cement</li> <li>oluga.</li> <li>well operator and the welements subject to the concector 24 hours before act</li> </ul>	I location shown belo ditions contained herei ual work has comment in the Notice and App	PLUGGING w is evidence of pen in and on the reverse ced.	Monument - 6° min E ONLY PERMIT mission granted to thereof. Notification to any modification	nimum diam	D prdance with given to the	o" above si	urface	19	Office of Oil and Office of Oil and Office of Oil and Office JUL <b>2 3 201</b> WV Department Environmental Prot
Plug #1 - 2530' - 2430 Free-point, cut, and pt Plug #2 - Approx 195 Freepoint, cut and pul Plug #3 - 1100' -1000' Plug #4 - 415' - 315' Plug #5 - 100' - 0 Erect Monument with API # Cement Plugs are Class A, I Cement Plugs are	Il 5 3/16" casing approx y - 1800' 6 5/8" 1100' - 1000' 1/2" height numbering egular Neat Cement pluga. well operator and the well ments subject to the con- ector 24 hours before act: ned work is as described in the converting of the subject in the subject in the con- ector 24 hours before act: ned work is as described in the subject in the subject in the subject in the subject in the con- ector 24 hours before act: ned work is as described in the subject in the	I location shown belo ditions contained herei ual work has comment in the Notice and App	PLUGGING w is evidence of pen in and on the reverse ced.	Monument - 6° min E ONLY PERMIT mission granted to hereof. Notification	nimum diam	D prdance with given to the	o" above si	urface	19	Office of Oil and Office of Oil and Office of Oil and Office JUL <b>2 3 201</b> WV Department Environmental Prot
Plug #1 - 2530' - 2430 Free-point, cut, and pt Plug #2 - Approx 195 Freepoint, cut and pull Plug #3 - 1100' -1000' Plug #4 - 415' - 315' Plug #5 - 100' - 0 Erect Monument with API# Coment Plugs are Class A, I Coment Plugs are Class A, I Coment tops will be tagged 6% Gel between all cement Permit Number This permit covering the the pertinent legal requit District Oil and Gas Insy The permi and condi	Il 5 3/16" casing approx y - 1800' 6 5/8" 1100' - 1000' 1/2" height numbering egular Neat Cement pluga.	I location shown belo ditions contained herei ual work has comment in the Notice and App	PLUGGING w is evidence of pen in and on the reverse ced.	Monument - 6° min E ONLY PERMIT mission granted to thereof. Notification to any modification	nimum diam	D prdance with given to the	o" above si	urface	19	Office of Oil and Office of Oil and Office of Oil and Office JUL <b>2 3 201</b> WV Department Environmental Prot
Plug #1 - 2530' - 2430 Free-point, cut, and pt Plug #2 - Approx 195 Freepoint, cut and pull Plug #3 - 1100' -1000' Plug #4 - 415' - 315' Plug #5 - 100' - 0 Erect Monument with API# Coment Plugs are Class A, I Coment Plugs are Class A, I Coment tops will be tagged 6% Gel between all cement Permit Number This permit covering the the pertinent legal requit District Oil and Gas Insy The permi and condi	Il 5 3/16" casing approx y - 1800' 6 5/8" 1100' - 1000' 1/2" height numbering egular Neat Cement pluga.	I location shown belo ditions contained herei ual work has comment in the Notice and App	PLUGGING w is evidence of pen in and on the reverse ced.	Monument - 6° min E ONLY PERMIT mission granted to thereof. Notification to any modification	nimum diam	D prdance with given to the	o" above si	urface	19	Office of Oil and Office of Oil and Office of Oil and Office JUL <b>2 3 201</b> WV Department Environmental Prot
Plug #1 - 2530' - 2430 Free-point, cut, and pt Plug #2 - Approx 195 Freepoint, cut and pull Plug #3 - 1100' -1000' Plug #4 - 415' - 315' Plug #5 - 100' - 0 Erect Monument with API # Cement Plugs are Class A, I Cement Plugs are Class A, I	Il 5 3/16" casing approx y - 1800' 6 5/8" 1100' - 1000' 1/2" height numbering egular Neat Cement pluga.	I location shown belo ditions contained herei ual work has commen- in the Notice and App f.	PLUGGING w is evidence of perm in and on the reverse ced. lication, plat, subject	Monument - 6" min E ONLY PERMIT mission granted to the hereof. Notification to any modification unless plugging is	plug in acco on must be g	D prdance with given to the	o" above si	urface	19	Office of Oil and Office of Oil and Office of Oil and Office JUL <b>2 3 201</b> WV Department Environmental Prot
Plug #1 - 2530' - 2430 Free-point, cut, and pt Plug #2 - Approx 195 Freepoint, cut and pull Plug #3 - 1100' -1000' Plug #4 - 415' - 315' Plug #5 - 100' - 0 Erect Monument with API # Cement Plugs are Class A, I Cement Plugs are Class A, I	Il 5 3/16" casing approx y - 1800' 6 5/8" 1100' - 1000' 1/2" height numbering egular Neat Cement pluga.	I location shown belo ditions contained herei ual work has commen- in the Notice and App f.	PLUGGING w is evidence of perm in and on the reverse ced. lication, plat, subject	Monument - 6" min E ONLY PERMIT mission granted to the hereof. Notification to any modification unless plugging is	plug in acco on must be g	D prdance with given to the	ate e and pros	couted with due	lug placement	Office of Oil and Office of Oil and Office of Oil and Office JUL <b>2 3 201</b> WV Department Environmental Prot
Plug #1 - 2530' - 2430 Free-point, cut, and pt Plug #2 - Approx 195 Freepoint, cut and pull Plug #3 - 1100' -1000' Plug #4 - 415' - 315' Plug #5 - 100' - 0 Erect Monument with API # Cement Plugs are Class A, I Cement Plugs are Class A, I	Il 5 3/16" casing approx y - 1800' 6 5/8" 1100' - 1000' 1/2" height numbering egular Neat Cement pluga.	I location shown belo ditions contained herei ual work has commen in the Notice and App f. Plat:	PLUGGING w is evidence of perm in and on the reverse ced. lication, plat, subject	Monument - 6" min E ONLY PERMIT mission granted to the hereof. Notification to any modification unless plugging is	plug in acco on must be g	D prdance with given to the	ate e and pros	urface	lug placement	Office of Oil and Office of Oil and Office of Oil and Office JUL <b>2 3 201</b> WV Department Environmental Prot

·

-

ARM W. M. Goode	Ň	ACRES LEASE NO. 750- STATE W. VA. N. S. 80 E. W. 2
-	countr Lincoln	Mor 1251
IG COMMENCED 9-11	19 COMPLETED 19 17 COMPLETED 11-1	19 CONTRACTOR
. D. COMMENCED	19 COMPLETED	19 CONTRACTOR CASING RECORD
KIND TOP	BUITOM MEASUREMENT REMARKS	SIZE (STEEL LINE) (TALLY MEAS.) (TALLY MEAS.) WHEN
Salt sand 1193	3 1815	6 5/8 1863'
Slate 181	5 <b>181</b> 8	5-9/16 1889
Little Lime 1818	1853	1/W 3000
Pencil Cave 1853	1857	
	0077	PACKERS
Big Line 1857	2037	KIND SIZE DEPTH SET DAT
Big Injun 2037	2082	
Slate. 2082	2162	
		TORPEDO RECORD
Lime shell 2162	<b>22</b> 66	DATE SHOT NO. QTS. SIZE SHELL TOP SHOT BOTTOM REL
Slate & Shells 226	6 2520	11-16 1917 60qt. 2543 2558
Brown Shale 252	0 2540	
Berea Sand 254	0 2559	
0 <b>il 254</b>	3 2555	
Total Dept 256	1	· · · · ·

FILLED WITH	FROM	• то	SIZE	PLUG KIND	DEI
	•	•			

REMARKS

RECEIVED Office of Oil and Gas

## JUL 2 3 2018

WV Department of Environmental Protection

TOTAL DEPTH

۰.

.

#### PRODUCTION RECORD

•

.

24 HOURS BEFORE SHOT 24 HOURS AFTER SHOT GAS TEST SAND SAND BBLS. BBLS.

Prode	uction First 24	l Hou	re from	۲.	Berea										
			ANERGRAPHIC N.			**********	Sand			8.	By	l			
			ode,			'arm,	No. of L	ease						No	1.
	D	uval	/*************************************	Dis	trict	Line	oln		Count	ty	Wei	t Virg	inia		
						1	Date of Lo	cation	b						1
Rig (	Commena Complete	oed ad			••••••••••••••••••••••••••••••••••••••		<u>19</u> 19 }					1.1.1.1.1.2.2.2.2		Con	
	1.00				tember 1							,			
Drilli	ing Com	pletec	l	Nov	ember 15	th,	1917		layla	nd (	0111	Gas O	ombeny	Lo_Con	iti
					C.	ASI	NG RE	COF	R D				1		
	CHARGED TO WELL		PUT IN WELL	r .	BOTTOM O CASING	r	PULLED OUT	r		LEFT WELL		TRANSFER FORE COM	RED RE- PLETION	LEFT NOT	AT
Size	Foot	In	Feet	In.	Feet	In.	Feet	In.	Fest		84.	Feet	In.	Feet	
81	365		365		365		365								
6-5/8	1865		1865		1863				18	68				1.	
					-									5.23	
												1944 - 1944 - 1944 - 1944 - 1944 - 1944 - 1944 - 1944 - 1944 - 1944 - 1944 - 1944 - 1944 - 1944 - 1944 - 1944 -			1000
												1			
	ORMATION		TO	P	BOTTOM	TH	CENESS		-		SHOT	Length	D		B
Salt				195	1815			Month	Day	¥r.	filest	of fihell	file	at	_
Slate				1815	1818			1	1 16	17	60			1991	1
	le Lim			1818	1855										-
	11 Cave			1853	1857	1									
Big 1				L857	2037			-							
-	Injun			2037	2082										
Slat				2082	2162			REGA	REE:						-
	Shells		1	2162	2266		*								-
	e & She n Shale			2266 2520	2520 2540			1	salt :	Wat	or a	t 1255'			-
Berea				2540	2540										
	wand				2555										Service .
011				2543	6003										-
,			-					ABAN	DONED						
								Giao	-	Cooling	Pulled	Casis	a Laft In		
Charles of Longe								-							
					RECEIVE	D									
				d	RECEIVE Office of Oil an	d Gas									
and the second s	*				JUL 23	018							ŀ		
					WV Departm vironmental F	ent of									
il . Regiment				En	vironmental F	rotecti	on	REMA	nes: E	=/=	105	7:29	9	· · ·	
					· ·						-				-
1															

WW-4A Revised 6-07

1) Date:	July 11, 2018	
2) Operator	's Well Number	
WM Goode 7		

043

3) API Well No.: 47 -

- 02241

43-022418

### STATE OF WEST VIRGINIA

### DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF APPLICATION TO PLUG AND ABANDON A WELL

4) Surface Own	ner(s) to be served:	5) (a) Coal Operator		
(a) Name	Harold Hoffman II	Name	NA	
Address	P. O. Box 203	Address		
	Griffithsville, WV 25521			
(b) Name		(b) Coal Owr	ner(s) with Declaration	
Address		Name	NA	
		Address		
(c) Name		Name		
Address		Address		
6) Inspector	Jeffery L. Smith	(c) Coal Less	ee with Declaration	
Address	5369 Big Tyler Road	Name	NA	
	Cross Lanes, WV 25313	Address		
Telephone	681-313-6743			

TO THE PERSONS NAMED ABOVE: You should have received this Form and the following documents:

- (1) The application to Plug and Abandon a Well on Form WW-4B, which sets out the parties involved in the work and describes the well its and the plugging work order; and
- (2) The plat (surveyor's map) showing the well location on Form WW-6.

The reason you received these documents is that you have rights regarding the application which are summarized in the instructions on the reverses side. However, you are not required to take any action at all.

Take notice that under Chapter 22-6 of the West Virginia Code, the undersigned well operator proposes to file or has filed this Notice and Application and accompanying documents for a permit to plug and abandon a well with the Chief of the Office of Oil and Gas, West Virginia Department of Environmental Protection, with respect to the well at the location described on the attached Application and depicted on the attached Form WW-6. Copies of this Notice, the Application, and the plat have been mailed by registered or certified mail or delivered by hand to the person(s) named above (or by publication in certain circumstances) on or before the day of mailing or delivery to the Chief.

OFFICIAL SEAL Well Operato By:	Dr HG Energy,LLC Diane White Diane White	RECEIVED Office of Oil and Gas
STATE OF WEST VIRGINIA Its:	Agent	JUL 2 3 2018
CASSIDY A. BOARDMAN Address	5260 Dupont Road	
5301 13th Ave Vienna, WV 26105	Parkersburg, WV 26101	WV/ Department of
My Commission Expires July 31, 2022 Telephone	304-420-1119	Environmental Protection
Subscribed and sworn before me this <u>11th</u> Carried A. Bondree My Commission Expires 7 31 2022	day of JULY 2018 Notary Public	_

#### **Oil and Gas Privacy Notice**

The Office of Oil and Gas processes your personal information, such as name, address and phone number, as a part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use of your personal information, please contact DEP's Chief Privacy Officer at <u>depprivacyoffier@wv.gov</u>.

# 43-02241P

WW-9 (5/16)	API Number 47 - 043 - 02241 Operator's Well No.	
DEPARTMENT OF ENVI OFFICE O	WEST VIRGINIA IRONMENTAL PROTECTION OF OIL AND GAS OSAL & RECLAMATION PLAN	
Operator Name_HG Energy, LLC	OP Code <u>494497948</u>	
	Quadrangle Garrett's Bend 7.5'	
Do you anticipate using more than 5,000 bbls of water to compl Will a pit be used? Yes <u>No</u> <u>No</u> If so, please describe anticipated pit waste: <u>NA</u> Will a synthetic liner be used in the pit? Yes	No V If so, what ml.?	BE DIS 105101G OAFSATZ
Proposed Disposal Method For Treated Pit Wastes:	1 SO, what his	2 nr in
Reuse (at API Number         Off Site Disposal (Supply form WW         Other (Explain	Number)	
Will closed loop system be used? If so, describe: <u>No</u>		
Drilling medium anticipated for this well (vertical and horizonta	al)? Air, freshwater, oil based, etc. NA RECEIVE Office of Oil a	ED nd Gas
-If oil based, what type? Synthetic, petroleum, etc. NA		
Additives to be used in drilling medium?NA		
Drill cuttings disposal method? Leave in pit, landfill, removed	offsite, etc. NA WV Departm Environmental F	rent of Protection
-If left in pit and plan to solidify what medium will be	used? (cement, lime, sawdust) NA	
-Landfill or offsite name/permit number? NA		
Permittee shall provide written notice to the Office of Oil and G West Virginia solid waste facility. The notice shall be provided where it was properly disposed.	Bas of any load of drill cuttings or associated waste rejected at any within 24 hours of rejection and the permittee shall also disclose	
on April 1, 2016, by the Office of Oil and Gas of the West Virg	conditions of the GENERAL WATER POLLUTION PERMIT iss ginia Department of Environmental Protection. I understand that any term or condition of the general permit and/or other applicable	tthe

I certify under penalty of law that I have personally examined and am familiar with the information submitted on this application form and all attachments thereto and that, based on my inquiry of those individuals immediately responsible for o btaining the information, I believe that the information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine or imprisonment.

Company Official Signature Diane White Company Official (Typed Name) Diane White		
Company Official TitleAgent		
Subscribed and sworn before me this 11th day of 3004	, 20 (S	
My commission expires_7/31/2022	Notary Public	OFFICIAL SEAL STATE OF WEST VIRGINIA NOTARY PUBLIC CASSIDY A. BOARDMAN
		5301 13th Ave Vienna, WV 26105 My Commission Expires July 31, 202

43-	02241	P
-(-)		

Form WW-9			Operator's W	Vell No	•
Proposed Revegetation Treat	tment: Acres Distu	urbed 1.2	Preveg etation p	.H	
Lime	3 Tons/acre or	to correct to pH $\frac{6}{2}$	5.5		
Fertilizer type 10-2	20-20	<u> </u>			RECEIVED Office of Oil and Gas
Fertilizer amount		500 lbs/a	acre		JUL <b>2 3 2018</b>
Mulch Straw		2 Tons/acr	e		WV Department of Environmental Protection
		Seed N	<u>fixtures</u>		
Te	mporary		Perma	anent	
Seed Type	lbs/acre		Seed Type	lbs/acre	
Tall Fescue	40		Tall Fescue	40	
Ladino Clover	5		Ladino Clover	5	
** Sediment Contro	I Will Be In Pl	lace At All Tir	mes **		

Attach:

Maps(s) of road, location, pit and proposed area for land application (unless engineered plans including this info have been provided). If water from the pit will be land applied, provide water volume, include dimensions (L, W, D) of the pit, and dimensions (L, W), and area in acres, of the land application area.

Photocopied section of involved 7.5' topographic sheet.

• ...

Plan Approved by:	Delfrey	Smith			
Comments: <u>A//</u>	sediment	control	to	be removed	prior to
relegse.			<u></u>		
	,				
Title: Oil J	ses Tast	Yes (	Date:_	7-17-18	
ield Reviewed?		Yes (	)No		

43-02241P

WW-9- GPP Rev. 5/16 Page \_\_\_\_\_ of \_\_\_\_\_ API Number 47 - 043 \_\_\_ 02241 Operator's Well No.

Quad: Garrett's Bend 7.5'

#### STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS GROUNDWATER PROTECTION PLAN

Operator Name: HG Energy, LLC

Watershed (HUC 10): Trace Fork

Farm Name:

1. List the procedures used for the treatment and discharge of fluids. Include a list of all operations that could contaminate the groundwater.

NA Office of Oil and Gas JUL 23 2018

> WV Department of Environmental Protection

2. Describe procedures and equipment used to protect groundwater quality from the list of potential contaminant sources above.

3. List the closest water body, distance to closest water body, and distance from closest Well Head Protection Area to the discharge area.

NA

NA

4. Summarize all activities at your facility that are already regulated for groundwater protection.

NA

5. Discuss any existing groundwater quality data for your facility or an adjacent property.

43-02241P

2

WW-9- GPP Rev. 5/16

.

Page \_\_\_\_\_\_ of \_\_\_\_\_ API Number 47 - 043 \_\_\_\_\_ - 02241 Operator's Well No.

NA

6. Provide a statement that no waste material will be used for deicing or fill material on the property.

NA

NA

7. Describe the groundwater protection instruction and training to be provided to the employees. Job procedures shall provide direction on how to prevent groundwater contamination.

RECEIVED Office of Oil and Gas

JUL 2 3 2018


WV Department of Environmental Protection

8. Provide provisions and frequency for inspections of all GPP elements and equipment.

NA						
Signature: _	Diane	white				

Date: 7-11-18

43-02241 P



Disculpe Excuse me No hablo espanol, hablo ingles I do not speak Spanish, I speak Tu no hablas espanol You do not speak Sponish

Si, por favor Ues, please Mucho Gusto Sonice to meet you Buenos dias Good normins Hola Hello gracias +hanks

Hold buenos dias Hi, good morning No perdon No, excuse me ILo siento! I am sorry De nada you're vuelcome i Perdon? Excuse me? Si, lo siento! Yes, Ihn sorry! Yo no hablo esponol I do not speak spon

er erstaard. Defensier Toorenaarden Duits of toorenaarden Gaarden of de Originaarden Gaarden of tradicio erstaarden

1 . e

WV Department of Environmental Protection

WW-7 8-30-06



West Virginia Department of Environmental Protection Office of Oil & Gas

WELL LOCATION FORM: GPS

API: 47	7- 043 - 2241		WELL NO:	7
FARM NAME:	W.M. Goode No.7			
RESPONSIBLE PARTY N	NAME: H.G. En	ergy, LLC		
COUNTY:	Lincoln		DISTRICT:	Duval
QUADRANGLE:	Garrett's Bend 7.5			· · · · · · · · · · · · · · · · · · ·
SURFACE OWNER:	Harold Hoffman I	[		
ROYALTY OWNER:	HG Energy, LLC			
UTM GPS NORTHING:	4,235,416	(NAD 83)	_	
UTM GPS EASTING:	417,078	(NAD 83)	_GPS ELEVATION:	320 m. (1055')
preparing a new well locat	ned above has chosen to sub tion plat for a plugging permi Oil & Gas will not accept GF	t or assigned	API number on the	

the following requirements:

1.	Datum: NAD 1983,	Zone:17 North,	Coordinate	Units: meters,	Altitude:
	height above mean s	ea level (MSL) -	meters.		

- 2. Accuracy to Datum 3.05 meters
- 3. Data Collection Method:

Survey Grade GPS Post Processed Differential Real-Time Differential		RECEIVED Office of Oil and Gas
Mapping Grade GPS X Post Processed Differential Real-Time Differential	X	JUL 23 2018

4 Letter size copy of the topography map showing the well location.

I the undersigned, hereby certify this data is correct to the best of my knowledge and belief and shows all the information required by law and the regulations issued and prescribed by the Office of Oil and Gas.

Diane White	Designated Agent	6/11/2018	
Diane C. White	Title	Date	