<u>CENTRALIZED PIT &</u> <u>IMPOUNDMENT</u> <u>CONSTRUCTION &</u> <u>RECLAMATION</u>

> <u>STEVE YOUNG, PE, PS</u> WVDEP-OFFICE OF OIL & GAS INDUSTRY SEMINAR CHARLESTON, W.VA. MAY 16, 2013

CONTACT: CELL PHONE 304 395-1835 WORK SCHEDULE: TUESDAY THRU FRIDAY 8:00 AM THRU 5:00 PM



SUBMIT FORMS, MONITORING & EMERGENCY ACTION PLAN (MEAP) & CONSTRUCTION PLANS TO **OFFICE OF OIL & GAS AS A PDF** FILE, BUT BE SURE TO INCLUDE ONE PAPER SET OF 24" X 36" **DRAWINGS FOR REVIEW**

HOW TO SUBMIT??

INCLUDE APPLICATION FEE CHECK & HAND **CARRY OR MAIL CD OF FORMS, MEAP & PLANS,** AND ONE PAPER SET OF 24" X 36" DRAWINGS TO: W.VA. DEPARTMENT OF ENVIRONMENTAL PROTECTION **OFFICE OF OIL & GAS** 601 57TH STREET, SE **CHARLESTON, WV 25304 ATTENTION: CHAD CARMICHAEL** > CHAD'S EMAIL ADDRESS: chad.r.carmichael@wv.gov > CHAD'S PHONE NUMBER: 304 926-0499, EXT. 1636



>JUST LIKE THE 22-6A WELL PAD PLANS, HAVE THE LOCAL **OIL & GAS INSPECTOR LOOK** AT THE SITE, E & S PLANS AND **INITIAL THE PLANS PRIOR TO** SUBMITTAL TO WVDEP/OOG

PIT & IMPOUNDMENT INSPECTION

➢USE FORM PROVIDED BY THE WVDEP-OOG FORM IR-11B

SUBMIT INSPECTION FORMS AS A PDF AND SEND OR E-MAIL TO CHAD CARMICHAEL

MAINTAIN A FILE OF INSPECTIONS AT THE CLOSEST OFFICE TO THE PIT OR IMPOUNDMENT, AND FILE MUST BE AVAILABLE FOR REVIEW BY THE INSPECTOR OR OTHER AUTHORIZED WVDEP/OOG PERSONNEL UPON REQUEST

RECLAMATION PLANS

- SHOW CONFIGURATION OF SITE AFTER STRUCTURES ARE REMOVED
- PROVIDE A SHORT DETAILED SEQUENCE OF HOW IMPOUNDMENTS & PITS WILL BE RECLAIMED
 - > PUMP DOWN & DISPOSE PONDED WATER, REMOVE LINER & DISPOSE OF PROPERLY OFF-SITE
 - > PROVIDE SPECIFICATIONS ON FILLING IN STRUCTURES
 - **> LIFT THICKNESS, COMPACTION, STABILIZATION**
 - AT A MINIMUM, USE A MAXIMUM OF 2 FOOT THICK LIFTS WITH A MINIMUM OF 90% OF THE STANDARD PROCTOR DENSITY

MONITORING & EMERGENCY ACTION PLANS

INSPECTION FREQUENCY FOR NORMAL CONDITIONS, USE A MINIMUM OF ONCE EVERY OTHER WEEK PER 35-8-17

> ALWAYS INCLUDE THE COUNTY OEM DIRECTOR AS AN EMERGENCY CONTACT & INCLUDE OEM DIRECTOR ON THE DISTRUBUTION LIST

INCLUDE IN MONITORING PLAN THAT THE PIT OR IMPOUNDMENT WILL BE MONITORED CONTINUOUSLY DURING THE INITIAL FILLING <u>CERTFICATION OR AS-BUILT DRAWINGS-</u> <u>CENTRALIZED PITS & IMPOUNDMENTS</u>

- > IF BUILT ACCORDING TO PLAN, SUBMIT ENGINEER'S CERTIFICATION
 > MUST BE SIGNED, SEALED AND DATED BY PROFESSIONAL ENGINEER
- PROVIDE ENGINEER'S CERTIFICATION THAT CONSTRUCTION PLANS & SPECIFICATIONS WERE FOLLOWED, OR PROVIDE AS-BUILT ON CHANGES MADE TO THE ORIGINAL PLANS ON THE AS-BUILT DRAWINGS

<u>CERTFICATION OR AS-BUILT DRAWINGS-</u> <u>CENTRALIZED PITS & IMPOUNDMENTS</u>

> ON AS-BUILT DRAWINGS, BE SURE TO SHOW MONITORING WELLS (IF PIT) & AS-BUILT OF ACCESS ROAD (PLAN & PROFILE WITH CULVERT LOCATION, SIZE & TYPE (CMP, CPP, SLCPP, ETC.)

HAVE LOCAL OIL & GAS INSPECTOR REVIEW AS-BUILT DRAWINGS AND INITIAL PRIOR TO SUBMITTAL TO WVDEP-OOG

SUBMIT TO CHAD CARMICHAEL AS A PDF chad.r.carmichael@wv.gov



MODIFICATIONS

IF YOU HAVE NOT DISTURBED EVERYTHING PERMITTED IN YOUR ORIGIANL LOD, YOU DO NOT NEED TO SUBMIT A MODIFICATION, JUST SHOW THE LOD AND THE AREA DISTURBED IN YOUR AS-BUILT

22-6A TOPICS MODIFICATIONS

>BE SURE TO PROVIDE A TRANSMITTAL LETTER DESCRIBING THE MODIFICATION **CLEARLY SHOW WHAT IS BEING ADDED** AND WHAT IS BEING DELETED **IF SUBMITTING ADDITIONAL MODIFICATIONS, SHOW SITE & LOD AS APPROVED BY THE PREVIOUS MODIFICATION. REVISE LOD & ACREAGE ACCORDINGLY**



AS-BUILT DRAWINGS-WELL PADS

- > MUST BE SIGNED, SEALED AND DATED BY PROFESSIONAL ENGINEER
- PROVIDE ENGINEER'S CERTIFICATION THAT CONSTRUCTION PLANS & SPECIFICATIONS WERE FOLLOWED, OR PROVIDE DETAILS ON CHANGES MADE TO THE ORIGINAL PLANS ON THE AS-BUILT DRAWINGS, BE SURE TO INCLUDE ROADS IN AS-BUILTS
- HAVE LOCAL OIL & GAS INSPECTOR REVIEW AND INITIAL PRIOR TO SUBMITTAL
- SUBMIT TO LAURA COOPER AS A PDF



PLAN SUBMITTAL

FOR WELL PERMITS WHERE THE WELL PAD IS NOT EXISTING

PROVIDE ONE SET OF 24 X 36 ROLLED & BOUND PLAN SHEETS FOR INITIAL REVIEW

DO NOT SUBMIT FOLDED PLANS & DO NOT SUBMIT PLANS THAT ARE NOT BOUND!!!!!